

**WATER SUPPLY DEPARTMENT****SAVE WATER SAVE LIFE****SANCTION ORDER****SAVE WATER SAVE LIFE**

(Sanction/Permission for private water supply connection/or  
 Other works under provisions of sections  
 i) 258 read with sec. 558  
 ii) 254 read with sec. 260  
 iii) 235, 236, 239 read with sec. 260 of CMC Act, 1980)

Building Case No.: 2023120297

Date: 01/09/2023

Building Plan Sanction No.: 2023120280

Date: 22/09/2023

Borough No.: 12 Ward No.: 101 Assessee No.: 311010402923

Premises No. &amp; Street Name: 292 BAGHAJATIN E BLOCK

Owner Name: M/S, DEBDUT ENTERPRISE, SRI ADITY

Name of KMC Licensed Plumber: SRI ASHIM CHAKRABORTY

Address of Plumber: 436, RANI RASHMONI BAGAN .. 700075

Purpose: CONSTRUCTION

NEW

Budget Code	Description	Amount
4231/211	Deposit money for water connection - 4231/211	0
4231/212	Road opening fees - 4231/212	356
4231/231	Extra road restoration - 4231/231	8153
4210/221	Annual fees for domestic purpose water supply - 4210/221	0
4210/262	Sale of water for non domestic purpose (ICI) - 4210/262	0
4210/299	Miscellaneous - 4210/299	374
4231/211	Fees for water connection - 4231/211	10000

Total Amount: 18883

Receipt No.: E/07/2023/3814 Date: 22/09/2023

Mode of Payment: Online

Details of Water Fittings:

Stop Cock Size: 25	Service Pipe Size: 25,20	Water Tap Size: 15	Ferrule Size: 20
--------------------	--------------------------	--------------------	------------------

Road Opening Date: From 11/01/24 to 13/01/24

**Note:**

1) The above demand amount excludes physical execution of the work through KMC licensed plumber involving material, manpower & tools & plant cost.

2) Owners of the premises shall have to maintain all water fittings to prevent stagnation due to leakage & drain off water once a week from underground & overhead reservoirs and covered properly with well fitted lids for safeguard against contamination and mosquito breeding. Non-compliance may lead to cut off water connection u/s 275(b) of CMC Act, 1980 and will be treated as offence u/s 496 of the CMC Act. Ball cock is to be installed at underground reservoir to save water. It is also encouraged to install automatic pump tripping arrangement to avoid overflow from overhead reservoir.

\*\* As this is a computer generated document, it does not require actual signature \*\*

Assistant Engineer (W.S)

*188  
09/01/24*  
Assistant Engineer  
Supply Deptt.

Executive Engineer (W.S)

*09/01/24*  
Ex. Engineer  
Water Supply Deptt.  
Br. XI (J, U)