

M.K.E.L.L.P-48/23

Ref No - 521

## FORM - 1

[See Rules 3 (1)]

Application for permission to erect Lifts

Or for making additions or alterations to the Installed Lift

(To be submitted to the Chief Electrical Inspector, Government of West Bengal)

1.	Full Name & address of the applicant:	Kinu Sardar. H/No - 1162, Purba Para Road, W/No - 31, Under Rajpur Sonarpur Municipality, 24 Pgs. (S), Kolkata.
2.	Name and Address of the local agent, if any:	N.A.
3.	Address of the premises at which the lift is proposed to be erected & the name of the owner of the premises:	H/No - 1162, Purba Para Road, W/No - 31, Under Rajpur Sonarpur Municipality, 24 Pgs. (S), Kolkata.
4.	Whether any application for permission was previously made. If so, details of the same:	N.A. Kinu Sardar,
5.	Type of lift proposed to be erected: (Passenger / Bed cum Passenger / Goods Service)	Passenger.
6.	Makers Name & Address:	M. K. ELEVATIC L.L.P. Avoya Nagar, Bela Nagar, Howrah, Pin code No -711205, Ref No - 521.
7.	The Contract speed of the lift:	0.63 M.P.S. / V3F
8.	The Contract load of the lift in Kg:	272 Kg
9.	The maximum number of persons including the lift attendant which the lift can carry:	4 Persons Only.
10.	The total weight of the lift car including the contract load:	683 Kg.
11.	The weight of the counter weight:	492 Kg. (42.5 % Over Balanced)
12.	The number, description weight & size of the suspension ropes:	3 Nos. Ungalvanised medium carbon Steel, 55 Kg /100 Mtrs. And 13 mm dia. 8x19 mm.
13.	The Pit depth:	1600 mm.
14.	Travel & the number of the floors to be covered:	8700 mm / ground floor to 3 <sup>rd</sup> floor. G+3.
15.	The total headroom:	A) Top Floor to bottom of Machine Room floor - 4200 mm. B) Top Floor to bottom of Machine Room ceiling - 6400 mm. C) Thickness of the Machine Room Slab 150 mm.
16.	A) Details of construction of the overhead arrangement with the weight & size of the beams: B) The approximate reaction which will be imposed on the building due to the lift installation including supporting beams etc:	Machine will be placed directly on the floor of the machine room which is designed to take the load  4.5 TONNES Approx.

Date: \_\_\_\_\_

\_\_\_\_\_  
(Signature of the applicant)

M K Elevatic LLP  
Swapan Kumar Das  
Authorised Signatory  
Ref No - 521