

SCHEDULE OF DOORS & WINDOWS

NO.	SIZE	UNITS	NO.	SIZE	UNITS
DA	1800 X 2150	2150	W	1800 X 1350	900
DA1	1500 X 2150	2150	WA	1075 X 1350	800
DA2	220 X 2150	2150	W1	1000 X 1350	800
W	1200 X 2150	2150	W2	1200 X 1350	700
W1	1000 X 2150	2150	W3	900 X 1350	600
W2	900 X 2150	2150	W3A	750 X 1350	600
W3	750 X 2150	2150	WKT	1250 X 1030	1100
W4	500 X 2150	2150	W5A	750 X 1050	1100
W5	260 X 2150	2150	W6	600 X 750	400
W6	240 X 2150	2150	W7	600 X 1350	800
W7	2150 X 2150	2150			
W8	1800 X 2150	2150			
W9	1450 X 2150	2150			
W10	1000 X 2150	2150			

SPECIFICATION

- ALL DIMENSIONS ARE IN MM UNLESS IT IS MENTIONED.
- ALL WALLS ARE TO BE 200 MM THICK, STAIR WALL 250 MM THICK AND INTERNAL 125 MM THICK.
- ALL REINFORCEMENT BARS ARE TO BE IN THE RATIO OF 1:4 & 1:4 RESPECTIVELY AND OUTSIDE LAPPING CONTAINING WATER PROOFING.
- ALL THE WORK IS TO BE DONE AS PER DRAWING AND AS MENTIONED.
- ALL THE WORK IS TO BE DONE AS PER DRAWING AND AS MENTIONED.
- THE DEPTH OF WATER RESISTOR SHALL NOT BE MORE THAN THE DEPTH OF MAIN COLUMN FOUNDATION.

CERTIFICATE OF OWNER

I HEREBY CERTIFY THAT THE FOUNDATION AND SUPER STRUCTURE OF THE BUILDING...
SANJIV L. P. B. ARCHITECTS
 19B SCHOOL PO, KOLKATA - 700025
 REG. NO. - CA93/1927

CERTIFICATE OF STRUCTURAL ENGINEER

I DO HEREBY CERTIFY THAT THE FOUNDATION AND SUPER STRUCTURE OF THE BUILDING...
SANJIV L. P. B. ARCHITECTS
 19B SCHOOL PO, KOLKATA - 700025
 REG. NO. - CA93/1927

CERTIFICATE OF STRUCTURAL REVIEWER

I DO HEREBY CERTIFY THAT THE BUILDING IS IN ACCORDANCE WITH THE BUILDING...
AMBEY REALTIONS LLP
 19B SCHOOL PO, KOLKATA - 700025
 REG. NO. - CA93/1927

GROUND FLOOR PLAN (1ST TO 9TH FLOOR)

19B SCHOOL PO, KOLKATA - 700025
 ARCHITECTS: AMBEY REALTIONS LLP
 SHEET NO-08

TYPICAL FLOOR PLAN (1ST TO 9TH FLOOR)





19B SCHOOL PO, KOLKATA - 700025
 ARCHITECTS: AMBEY REALTIONS LLP
 SHEET NO-08

ROOF PLAN TOWER-6

19B SCHOOL PO, KOLKATA - 700025
 ARCHITECTS: AMBEY REALTIONS LLP
 SHEET NO-08

FRONT ELEVATION TOWER-6

19B SCHOOL PO, KOLKATA - 700025
 ARCHITECTS: AMBEY REALTIONS LLP
 SHEET NO-08



25-10-19
Executive Engineer
Building Plan
Bidhanagar Municipal Corporation

APPROVED
Bidhanagar Municipal Corporation
Poutra Bhawan, FD-415A, Sector-II
Kolkata-700008
No. BNC/BN/RG/352/20/14-18(GA).

Date: 15/10/2019.

25-10-19

Date: 15/10/2019.

Date: 15/10/2019.

25-10-19

Date: 15/10/2019.

Date: 15/10/2019.

25-10-19

Date: 15/10/2019.

Date: 15/10/2019.

- Approved Subject to:
- 1) Building rules for Bidhanagar Municipal Corporation shall have to be observed, carefully.
 - 2) No wastage of water shall be made, check valve must be provided in ground/under ground overhead reservoir.
 - 3) In no case water from rain water pipe and the surface water shall be connected to house sewer directly or through any joint gully.
 - 4) Plan showing internal sewer system and water supply lines have got to be separately sanctioned.
 - 5) Before starting any construction it should be satisfied that the site dimension conforms with that of plans sanctioned and all the conditions as proposed in the plan shall be fulfilled.
 - 6) Sanitary and footpath shall not be approached by dumping of building materials, mud, mortar etc. without prior permission.
 - 7) Appendix-B shall have to be submitted.

Further construction following measures are to be strictly taken to reduce the effects of dust pollution from building construction sites

- Properly covering all building materials stacked at site like cement bags, sand, kina & stone chips.
- Using water sprays or sprinklers to keep the dust down during activities such as concreting, plastering, breaking concrete and piling activities.
- Washing the wheels of vehicles leaving the site, if they are carrying mud or waste.
- Putting up solid barriers around the site.
- Properly covering trucks & vehicles that enter and leave the site-carrying building materials and building debris.
- Cleaning and watering the road and footpath adjacent to the site at frequent intervals.
- Using dust bags, spraying water when using stone cutters and making the working area wet before using the machines.
- Not burning waste materials at site which causes smoke containing carbon monoxide and a range of poisonous substances.

25-10-19
Executive Engineer
Building Plan
Bidhanagar Municipal Corporation