

6

PARTY'S COPY

A suitable pump has to be provided i.e. pumping unfiltered water for the distribution to the building cisterns and urinals in the building incase unfiltered water from street main is not available.

Plan for Water Supply arrangement including S.E.M.I. G. & O. H. reservoirs should be submitted at the Office of the Ex-Engineer Water Supply and the sanction obtained before proceeding with the work of Water Supply any deviation may lead to disconnection/demolition.

No rain water pipe should be laid or discharged on Road or Footpath. Drainage plan should be submitted at the Borough Executive Engineer's Office and the sanction obtained before proceeding with the drainage work.

DEVIATION WOULD MEAN DEMOLITION



Recommended in M. A. B. Meeting No. 625 Item No. 138/25-26 Dated 12.08.2025

Design of all Structural Members including that of the foundation should conform to Standards specified in the National Building Code of India.

The sanction refers to the proposed portion shown in red and the Executive Engineer makes no admission as to the correctness of the plan.

CONSTRUCTION SITE SHALL BE MAINTAINED TO PREVENT MICROBIAL BREEDING AS REQUIRED UNDER (I) A (I) OF C.M.C. ACT 1980 IN SUCH MANNER SO THAT ALL WATER COLLECTION & PARTICULARLY LIFT WELLS WATER TREATMENT CUMIN SITES OPEN RECEPTACLES ETC. MUST BE EMPTIED COMPLETELY TWICE A WEEK.

Before starting any Construction the site must conform with the plans sanctioned and all the conditions as proposed in the plan should be fulfilled. The validity of the written permission to execute the work is subject to the above conditions.

The building materials that will be stacked on Road/Passage or Foot-path beyond 3 meters or after construction of G. Floor, whichever is earlier, may be seized forthwith by the K.M.C. at the cost and risk of the owner.

THE SANCTION IS VALUED UP TO 55'x2-253'

APPROVED BY: M. B. S.
Dated: 12.08.2025

Approved subject to Compliance of resolution of West Bengal Fire Services if any.

All Building Materials to necessary & construction should conform to standard specified in the National Building Code of India.

Non Commencement of Erection/Re-Erection within five year will Require Fresh Application for Sanction

Necessary steps should be taken for the safety of the lives of the adjoining public and private properties during construction.

RESIDENTIAL BUILDING

Building Department
Borough-III, K.M.C.
Date: 12.08.2025
Contents Not Verified