

**FORM – I**  
[See Rule 3(1)]

OUR CONTRACT NO:- SENL-M-62

**Application for permission to erect Lifts  
Or for making additions or alterations to the installed Lift**

(To be submitted to the Chief Electrical Inspector, Government of West Bengal)

1. Full Name & Address of the Applicant :	MS SHIVANI CONSTRUCTION Kishorenagar, Contai Bypass, Contai, Purba Medinipur, West Bengal, 721401
2. Name and Address of the local agent, if any :	N.A.
3. Address of the premises at which the lift is proposed to be erected & the of the owner of the premises :	Kishorenagar, Contai Bypass, Contai, Purba Medinipur, West Bengal, 721401 MS SHIVANI CONSTRUCTION
4. Whether any application for permission was previously made, If so, details of the same :	N.A.
5. Type of lifts proposed to be erected :	Passenger / Bed cum Passenger / Goods / Service
6. Makers Name & Address :	M/s. SHARP ELEVATORS 22, OLD NIMTA ROAD, BELGHARIA, KOLKATA-700056
7. The contract speed of the lift :	0.63 M.P.S
8. The contract load of the lift in Kg ;	272 Kg.
9. The maximum number of persons including the lift attendant which the lift can carry :	4 Persons Only.
10. The total weight of the lift car including the contract load	710 Kg.
11. The weight of the counterweight	558 Kg. (42.5% Over Balanced)
12. The number, description weight & size of the suspension ropes :	3 nos. Ungalvanised medium Carbon Steel, 55 Kg./100 Mtrs. and 13 mm dia.
13. The pit depth :	1600 mm.
14. Travel & the number of floors to be served :	27000mm / Ground to 9TH Floors.
15. The total headroom :	A) Top Floor to bottom of Machine Room Floor – 4200 mm. B) Top Floor to bottom of Machine Room Ceiling – 6750mm. C) Thickness of Machine Room Slab - 150 mm.
16. (i) Details of construct on of the over-head arrangement with the weight & size of the beams. (ii) The approximate reaction, which will be imposed on the building due to the lift installation including supporting became etc.	Machine will be placed directly on the floor Of the machine room which is designed to take the load  <b>4 TONNES</b>

Date.

SHARP ELEVATORS

*Prup Halda*

Proprietor

\_\_\_\_\_  
Signature of the applicant  
(Check & Sign)

To  
The Chief Electrical Inspector,  
Govt. of West Bengal  
Directorate of Electricity,  
11, Netaji Subhas Road,  
Kolkata— 700 001

**Sub:: Permission to erect a Lift Premises at – Kishorenagar, Contai Bypass, Contai, Purba  
Medinipur, West Bengal, 721401**

I Confirm that the working layout drawing of M/s. SHARP ELEVATORS prepared in accordance with the sanctioned plan of the rise ( Ground to 9th Floor) building at which the lift is proposed to be erected. It is also stated that the building is duly sanctioned by the relevant Civic Authority.

The U ndersigned will be held responsible if any deviation or alteration is found in this respect.

Yours Faithfully,

SHARP ELEVATORS

*Proprietor*  
Proprietor

( Owner of the premises )

-----  
Signature & Seal of the  
Erecting firm.

**FORM – I**  
[See Rule 3(1)]

OUR CONTRACT NO:- SENL-M-63

**Application for permission to erect Lifts  
Or for making additions or alterations to the installed Lift**

*(To be submitted to the Chief Electrical Inspector, Government of West Bengal)*

1. Full Name & Address of the Applicant :	MS SHIVANI CONSTRUCTION  Kishorenagar, Contai Bypass, Contai, Purba Medinipur, West Bengal, 721401
2. Name and Address of the local agent, if any :	N.A.
3. Address of the premises at which the lift is proposed to be erected & the of the owner of the premises :	Kishorenagar, Contai Bypass, Contai, Purba Medinipur, West Bengal, 721401  MS SHIVANI CONSTRUCTION
4. Whether any application for permission was previously made, If so, details of the same :	N.A.
5. Type of lifts proposed to be erected :	<del>Passenger / Bed-cum-Passenger / Goods / Service</del>
6. Makers Name & Address :	<b>M/s. SHARP ELEVATORS</b> <b>22,OLD NIMTA ROAD,BELGHARIA, KOLKATA-700056</b>
7. The contract speed of the lift :	<b>0.63 M.P.S</b>
8. The contract load of the lift in Kg ;	<b>272 Kg.</b>
9. The maximum number of persons including the lift attendant which the lift can carry :	<b>4 Persons Only.</b>
10. The total weight of the lift car including the contract load	<b>710 Kg.</b>
11. The weight of the counterweight	<b>558 Kg. (42.5% Over Balanced)</b>
12. The number, description weight & size of the suspension ropes :	3 nos. Ungalvanised medium Carbon Steel, 55 Kg./100 Mtrs. and 13 mm dia.
13. The pit depth :	<b>1600 mm.</b>
14. Travel & the number of floors to be served :	<b>27000mm / Ground to 9TH Floors.</b>
15. The total headroom :	A) Top Floor to bottom of Machine Room Floor – 4200 mm. B) Top Floor to bottom of Machine Room Ceiling – 6750mm. C) Thickness of Machine Room Slab - 150 mm.
16. (i) Details of construct on of the over-head arrangement with the weight & size of the beams. (ii) The approximate reaction, which will be imposed on the building due to the lift installation including supporting became etc.	Machine will be placed directly on the floor Of the machine room which is designed to take the load  <b>4 TONNES</b>

Date.

**SHARP ELEVATORS**

*Proprietor*  
**Proprietor**

\_\_\_\_\_  
Signature of the applicant  
(Check & Sign)

To  
The Chief Electrical Inspector,  
Govt. of West Bengal  
Directorate of Electricity,  
11, Netaji Subhas Road,  
Kolkata— 700 001

Sub:: Permission to erect a Lift Premises at – Kishorenagar, Contai Bypass, Contai, Purba  
Medinipur, West Bengal, 721401

I Confirm that the working layout drawing of M/s. SHARP ELEVATORS prepared in accordance with the sanctioned plan of the rise ( Ground to 9th Floor) building at which the lift is proposed to be erected. It is also stated that the building is duly sanctioned by the relevant Civic Authority.

The Undersigned will be held responsible if any deviation or alteration is found in this respect.

**SHARP ELEVATORS**

*Pratap Haldar*  
Proprietor

-----  
Signature & Seal of the  
Erecting firm.

Yours Faithfully,

( Owner of the premises )

**FORM - I**  
[See Rule 3(1)]

OUR CONTRACT NO:- SENL-M-64

**Application for permission to erect Lifts  
Or for making additions or alterations to the installed Lift***(To be submitted to the Chief Electrical Inspector, Government of West Bengal)*

1. Full Name & Address of the Applicant :	MS SHIVANI CONSTRUCTION Kishorenagar, Contai Bypass, Contai, Purba Medinipur, West Bengal, 721401
2. Name and Address of the local agent, if any :	N.A
3. Address of the premises at which the lift is proposed to be erected & the of the owner of the premises :	MS SHIVANI CONSTRUCTION Kishorenagar, Contai Bypass, Contai, Purba Medinipur, West Bengal, 721401
4. Whether any application for permission was previously made, If so, details of the same :	N.A
5. Type of lifts proposed to be erected :	Passenger / <del>Bed cum Passenger</del> / <del>Goods Service</del>
6. Makers Name & Address :	M/s. SHARP ELEVATORS 22, OLD NIMTA ROAD, BELGHARIA, KOLKATA- 700056
7. The contract speed of the lift :	0.63 M.P.S
8. The contract load of the lift in Kg ;	408 Kg
9. The maximum number of persons including the lift attendant which the lift can carry :	6 Persons Only.
10. The total weight of the lift car including the contract load	868 Kg.
11. The weight of the counterweight	582 Kg. (42.5% Over Balanced)
12. The number, description weight & size of the suspension ropes :	3 nos. Ungalvanised medium Carbon Steel, 0.557 Kg./100 Mtrs. and 13 mm dia.
13. The pit depth :	1600 mm.
14. Travel & the number of floors to be served :	27000 mm / Ground to 9 <sup>TH</sup> Floors.
15. The total headroom :	A) Top Floor to bottom of Machine Room Floor - 4200 mm. B) Top Floor to bottom of Machine Room Ceiling - 6750mm C) Thickness of Machine Room Slab - 150 mm.
16. (i) Details of construct on of the over-head arrangement with the weight & size of the beams. (ii) The approximate reaction, which will be imposed on the building due to the lift installation including supporting became etc.	Machine will be placed directly on the floor Of the machine room which is designed to take the load  6 TONNES

Date.

SHARP ELEVATORS

  
 Proprietor

 \_\_\_\_\_  
 Signature of the applicant  
 (Check & Sign)

To  
**The Chief Electrical Inspector,  
Govt. of West Bengal  
Directorate of Electricity,  
11, Netaji Subhas Road,  
Kolkata— 700 001**

**Sub:: Permission to erect a Lift Premises at – Kishorenagar, Contai Bypass, Contai, Purba  
Medinipur, West Bengal, 721401**

I Confirm that the working layout drawing of M/s. SHARP ELEVATORS prepared in accordance with the sanctioned plan of the rise ( Ground to 9th Floor) building at which the lift is proposed to be erected. It is also stated that the building is duly sanctioned by the relevant Civic Authority.

The Undersigned will be held responsible if any deviation or alteration is found in this respect.

**SHARP ELEVATORS**

*Asup Haldar*  
**Proprietor**

Yours Faithfully,

( Owner of the premises )

\_\_\_\_\_  
**Signature & Seal of the  
Erecting firm.**