





DOORS AND WINDOW SCHEDULE:

SL.NO.	LEGEND	SIZE	LINTEL	SPECIFICATION
01	D	1100/1000 X 2100	2100	FLUSH DOOR
02	D1	1100 X 2100	2100	FLUSH DOOR
03	D2	1000 X 2100	2100	FLUSH DOOR
04	D3	900 X 2100	2100	FLUSH DOOR
05	D4	750/650 X 2100	2100	FLUSH DOOR
06	"	"	"	FLUSH DOOR
07	SD	2400/2200 X 2100	2100	FLUSH DOOR
08	FCD	1100 X 2100	2100	
09	W	2000 X 1350	2100	FULL GLAZED WINDOW
10	W1	1800 X 1350	2100	DO
11	W2	1500 X 1350	2100	DO
12	W3	1400 X 1350	2100	DO
13	W4	1250/1200 X 1350	2100	DO
14	W5	900 X 1350	2100	DO
15	W6	1000 X 1000	2100	DO
16	W7	600 X 900	2100	DO

SPECIFICATIONS:

1. ALL DIMENSIONS ARE IN MILLIMETERS UNLESS OTHERWISE STATED.
2. ALL EXTERNAL WALLS ARE 150 200 & 230 thk & ALL INTERNAL WALLS ARE 150 thk
3. THE DEPTH OF S.U.G.W.R. & SEPTIC TANK SHALL NEVER EXCEED THE DEPTH OF FOUNDATION.
4. BRICK WORK 200&230 thk MORTAR 1:6 & BRICK WORK 150 thk MORTAR 1:4
5. ALL R.C.C. GRADE AS SPECIFIED BY STRUCTURAL ENGINEER
6. GRADE OF STEEL FE-415 I.S. CODE 1786-1979
7. ALL WORTS OF PRECAUTIONARY MEASURE WILL BE TAKEN AT THE TIME OF CONSTRUCTION.
8. OTHER ITEMS ARE AS PER I.S. SPECIFICATION.

I DO HEREBY CERTIFY THAT PLANS, ELEVATION & SECTIONS & OTHER STRUCTURAL DETAILS OF THE PROPOSED RESIDENTIAL COMPLEX AT MOUZA BAIKUNTHAPUR, NO. 36, DAG NOS. 3-12,16-23,26-31,37-42,46,49,52,53,68 – BARUIPUR, UNDER HARIHARPUR GRAM PANCHAYAT, DIST. SOUTH 24 PARGANAS, HAVE BEEN PREPARED IN CONFORMITY WITH ALL RELEVANT PROVISIONS UNDER THE WEST BENGAL MUNICIPAL (BUILDING) RULES, 2000. THIS IS ALSO TO CERTIFY THAT ALL RELEVANT FACTS THO SAID RESPECTIVE AUTHORITIES, SUCH AS NOT NES, NA, PCB, MICROWAVE ETC. AS APPLICABLE IN THIS REGARD, ARE ALSO ENCLOSED WITH THE APPLICATION FOR SEEKING APPROVAL OF THE PLAN TO CONSTRUCT OF THE SAID PROJECT.

Subir Kumar Basu
SUBIR KUMAR BASU
Registered Architect
Regn. No.- CA/78/4375
SIGN. OF ARCHITECT

I DO HEREBY CERTIFY THAT THE FOUNDATION AND SUPERSTRUCTURE OF THE BUILDINGS PROPOSED FOR CONSTRUCTION AT MOUZA BAIKUNTHAPUR, NO. 36, DAG NOS. 3-12,16-23,26-31,37-42,46,49,52,53,68 – BARUIPUR, UNDER HARIHARPUR GRAM PANCHAYAT, DIST. SOUTH 24 PARGANAS, HAVE BEEN PERSONALLY INSPECTED AND SO DESIGNED BY ME THAT THE FOUNDATION AND THE SUPERSTRUCTURE ARE SAFE IN ALL RESPECT INCLUDING THE CONSIDERATION OF BEARING CAPACITY AND SETTLEMENT OF SOIL AND OTHER CONDITIONS, CONFORMING TO STIPULATIONS OF ALL IS CODES OF PRACTICE AND NATIONAL BUILDING CODE.

SANJIB GUHA
B.Sc., B.E., F.I.E.-(115614-1)
CHARTERED ENGINEER
ENLISTED STRUCTURAL
REVIEWER 88/16 K.M.C.
SIGN. OF STRUCTURAL REVIEWER

I DO HEREBY CERTIFY THAT THE FOUNDATION AND SUPERSTRUCTURE OF THE BUILDINGS PROPOSED FOR CONSTRUCTION AT MOUZA BAIKUNTHAPUR, NO. 36, DAG NOS. 3-12,16-23,26-31,37-42,46,49,52,53,68 – BARUIPUR, UNDER HARIHARPUR GRAM PANCHAYAT, DIST. SOUTH 24 PARGANAS, HAVE BEEN PERSONALLY INSPECTED AND SO DESIGNED BY ME THAT THE FOUNDATION AND THE SUPERSTRUCTURE ARE SAFE IN ALL RESPECT INCLUDING THE CONSIDERATION OF BEARING CAPACITY AND SETTLEMENT OF SOIL AND OTHER CONDITIONS, CONFORMING TO STIPULATIONS OF ALL IS CODES OF PRACTICE AND NATIONAL BUILDING CODE.

Pradipta Kumar Ghosh
Geotechnical Engineer
EMPANELLED NO. 51 (KMC)
SIGN. OF GEO-TECHNICAL ENGINEER

SUREKA ISHA ZION DEVELOPERS PVT. LTD.
Director
SIGN. OF OWNER

PROJECT :-
PROPOSED ADDITION OF 4 FLOORS OVER THE EXISTING G+16 STORIED TOWER 3 & 4, AND ADDITION OF 2 FLOORS OVER THE EXISTING G+16 STORIED TOWER 5,6,7,8, AND ADDITION OF 4 STORIED MLCP BUILDING IN THE RESIDENTIAL COMPLEX AT MOUZA BAIKUNTHAPUR, J.L. NO. 36, DAG NOS. 3-12,16-23,26-31, 37-42,46,49,52,53,68 P.S. - BARUIPUR, UNDER HARIHARPUR GRAM PANCHAYAT, DIST. SOUTH 24 PARGANAS.

SHEET TITLE :-
TOWER -4 (G+19)
GROUND FLOOR ,1ST. FLOOR & ELEVATION

ARCHITECT
Subir Kumar Basu
CONSULTING ARCHITECTS & ENGINEERS
4, BROAD STREET
KOLKATA-700019

DRAWN BY	SCALE	SHEET SIZE	DRAWING NO.	DATE	SHEET NO.
CHECKED BY	1:100	A0	BK/BAIK/ BAIK/WC/08	29/01/2019	20 OF 25