

Plan of development works to be executed in World Trade Center NDITA (Tower-I) and the proposed facilities to be provided thereof:

1	<u>Fire Fighting</u>	Fire detection & protection system as per recommendation of West Bengal Fire & Emergency Services. a) Use of F.C.D in fire staircases, b) Fire reservoir with fire pumps, c) Provision of Hose Reel in conjunction with wet Riser shall be at each floor
2	<u>Drinking water</u>	24 hour treated water supply through water treatment plant.
3	<u>Use of renewable energy</u>	35 KW Solar energy will be generated (Provision made in future development)
4	<u>Emergency Evacuation Services</u>	As per recommendation of West Bengal Fire & Emergency Services. a) Use of adequate Fire escape stair cases. b) Fire refuge platforms
5	<u>Lifts</u>	3 Passenger Lifts and 1 Stretcher Lift for Low Zone 4 Passenger Lifts and 1 Stretcher Lift for High Zone 1 Service Lift
6	<u>Common Amenities</u>	Power backup for common areas & utilities
		Security surveillance facility with CCTV all floor common areas.
		24X7 round the clock security
7	<u>Green Initiatives</u>	Water efficient fixtures
		Rainwater harvesting
		Landscaping with use of native plants
		Dual flushing system & Sewage treatment plant
		Low VOC Materials
		Use of LED lights in common areas
		24 hour treated water supply through water treatment plant
8	<u>Health & Safety</u>	Superior quality waterproofing wherever necessary
		Sufficient project illumination through compound & street lighting inside the complex

KAIL LIMITED

Harsh Bishnoi

(Authorised Signatory)