



To

The Authority,  
WB RERA  
West Bengal

The number, type and the carpet area of unit for sale in the project "DEVALOKE SONARCITY - PHASE III".

BLOCK 16      BLOCK TYPE 5

| UNIT NO. | CARPET AREA (SQM.) | BALCONY AREA (SQM.) | BUILTUP AREA (SQM.) | PROPORTIONATE COMMON AREA (SQM.) | SALE AREA (SQM) |     | O.T 1   |     |
|----------|--------------------|---------------------|---------------------|----------------------------------|-----------------|-----|---------|-----|
| 1A       | 97.51              | 6.43                | 111.91              | 23.950                           | 135.860         | SQM |         | SQM |
| 1B       | 94.66              | 7.03                | 109.55              | 23.445                           | 132.995         | SQM | 53.233  | SQM |
| 1C       | 94.72              | 7.05                | 109.63              | 23.462                           | 133.092         | SQM | 32.7945 | SQM |
| 1D       | 97.5               | 6.43                | 111.91              | 23.950                           | 135.860         | SQM | 22.0178 | SQM |
| 2A       | 97.51              | 6.43                | 111.91              | 23.950                           | 135.860         | SQM |         |     |
| 2B       | 94.66              | 7.03                | 109.55              | 23.445                           | 132.995         | SQM |         |     |
| 2C       | 94.72              | 7.05                | 109.63              | 23.462                           | 133.092         | SQM |         |     |
| 2D       | 97.5               | 6.43                | 111.91              | 23.950                           | 135.860         | SQM |         |     |

### BUILDER & DEVELOPER

82, Garia Main Road, Mahamayatala, Kolkata - 700 084

Phone : (033) 2435 4834 / 7534

Fax : (033) 2435-4834 / 7534

E-mail : [coordinator@devalokegroup.com](mailto:coordinator@devalokegroup.com)

Website : [www.devalokegroup.com](http://www.devalokegroup.com)

|    |       |      |        |        |         |     |
|----|-------|------|--------|--------|---------|-----|
|    |       |      |        |        |         |     |
| 3A | 97.51 | 6.43 | 111.91 | 23.950 | 135.860 | SQM |
| 3B | 94.66 | 7.03 | 109.55 | 23.445 | 132.995 | SQM |
| 3C | 94.72 | 7.05 | 109.63 | 23.462 | 133.092 | SQM |
| 3D | 97.5  | 6.43 | 111.91 | 23.950 | 135.860 | SQM |
|    |       |      |        |        |         |     |
| 4A | 97.51 | 6.43 | 111.91 | 23.950 | 135.860 | SQM |
| 4B | 94.66 | 7.03 | 109.55 | 23.445 | 132.995 | SQM |
| 4C | 94.72 | 7.05 | 109.63 | 23.462 | 133.092 | SQM |
| 4D | 97.5  | 6.43 | 111.91 | 23.950 | 135.860 | SQM |
|    |       |      |        |        |         |     |
| 5A | 97.51 | 6.43 | 111.91 | 23.950 | 135.860 | SQM |
| 5B | 94.66 | 7.03 | 109.55 | 23.445 | 132.995 | SQM |
| 5C | 94.72 | 7.05 | 109.63 | 23.462 | 133.092 | SQM |
| 5D | 97.5  | 6.43 | 111.91 | 23.950 | 135.860 | SQM |
|    |       |      |        |        |         |     |
| 6A | 97.51 | 6.43 | 111.91 | 23.950 | 135.860 | SQM |
| 6B | 94.66 | 7.03 | 109.55 | 23.445 | 132.995 | SQM |
| 6C | 94.72 | 7.05 | 109.63 | 23.462 | 133.092 | SQM |
| 6D | 97.5  | 6.43 | 111.91 | 23.950 | 135.860 | SQM |
|    |       |      |        |        |         |     |
| 7A | 97.51 | 6.43 | 111.91 | 23.950 | 135.860 | SQM |
| 7B | 94.66 | 7.03 | 109.55 | 23.445 | 132.995 | SQM |
| 7C | 94.72 | 7.05 | 109.63 | 23.462 | 133.092 | SQM |
| 7D | 97.5  | 6.43 | 111.91 | 23.950 | 135.860 | SQM |
|    |       |      |        |        |         |     |
| 8A | 97.51 | 6.43 | 111.91 | 23.950 | 135.860 | SQM |
| 8B | 94.66 | 7.03 | 109.55 | 23.445 | 132.995 | SQM |
| 8C | 94.72 | 7.05 | 109.63 | 23.462 | 133.092 | SQM |
| 8D | 97.5  | 6.43 | 111.91 | 23.950 | 135.860 | SQM |
|    |       |      |        |        |         |     |
| 9A | 97.51 | 6.43 | 111.91 | 23.950 | 135.860 | SQM |
| 9B | 94.66 | 7.03 | 109.55 | 23.445 | 132.995 | SQM |
| 9C | 94.72 | 7.05 | 109.63 | 23.462 | 133.092 | SQM |
| 9D | 97.5  | 6.43 | 111.91 | 23.950 | 135.860 | SQM |
|    |       |      |        |        |         |     |

|     |       |      |        |        |         |     |
|-----|-------|------|--------|--------|---------|-----|
|     |       |      |        |        |         |     |
| 10A | 97.51 | 6.43 | 111.91 | 23.950 | 135.860 | SQM |
| 10B | 94.66 | 7.03 | 109.55 | 23.445 | 132.995 | SQM |
| 10C | 94.72 | 7.05 | 109.63 | 23.462 | 133.092 | SQM |
| 10D | 97.5  | 6.43 | 111.91 | 23.950 | 135.860 | SQM |
|     |       |      |        |        |         |     |
| 11A | 97.51 | 6.43 | 111.91 | 23.950 | 135.860 | SQM |
| 11B | 94.66 | 7.03 | 109.55 | 23.445 | 132.995 | SQM |
| 11C | 94.72 | 7.05 | 109.63 | 23.462 | 133.092 | SQM |
| 11D | 97.5  | 6.43 | 111.91 | 23.950 | 135.860 | SQM |
|     |       |      |        |        |         |     |
| 12A | 97.51 | 6.43 | 111.91 | 23.950 | 135.860 | SQM |
| 12B | 94.66 | 7.03 | 109.55 | 23.445 | 132.995 | SQM |
| 12C | 94.72 | 7.05 | 109.63 | 23.462 | 133.092 | SQM |
| 12D | 97.5  | 6.43 | 111.91 | 23.950 | 135.860 | SQM |
|     |       |      |        |        |         |     |

## BLOCK 17      BLOCK TYPE 5

| UNIT NO. | CARPET AREA (SQM.) | BALCONY AREA (SQM.) | BUILTUP AREA (SQM.) | PROPORTIONATE COMMON AREA (SQM.) | SALE AREA (SQM) |     | O.T 1    |     |
|----------|--------------------|---------------------|---------------------|----------------------------------|-----------------|-----|----------|-----|
|          |                    |                     |                     |                                  |                 |     |          |     |
|          |                    |                     |                     |                                  |                 |     |          |     |
|          |                    |                     |                     |                                  |                 |     |          |     |
| 1A       | 97.51              | 6.43                | 111.91              | 23.950                           | 135.860         | SQM | 52.76849 | SQM |
| 1B       | 94.66              | 7.03                | 109.55              | 23.445                           | 132.995         | SQM | 32.7945  | SQM |
| 1C       | 94.72              | 7.05                | 109.63              | 23.462                           | 133.092         | SQM | 32.7945  | SQM |
| 1D       | 97.5               | 6.43                | 111.91              | 23.950                           | 135.860         | SQM | 52.76849 | SQM |
|          |                    |                     |                     |                                  |                 |     |          |     |



|    |       |      |        |        |         |     |
|----|-------|------|--------|--------|---------|-----|
|    |       |      |        |        |         |     |
| 2A | 97.51 | 6.43 | 111.91 | 23.950 | 135.860 | SQM |
| 2B | 94.66 | 7.03 | 109.55 | 23.445 | 132.995 | SQM |
| 2C | 94.72 | 7.05 | 109.63 | 23.462 | 133.092 | SQM |
| 2D | 97.5  | 6.43 | 111.91 | 23.950 | 135.860 | SQM |
|    |       |      |        |        |         |     |
| 3A | 97.51 | 6.43 | 111.91 | 23.950 | 135.860 | SQM |
| 3B | 94.66 | 7.03 | 109.55 | 23.445 | 132.995 | SQM |
| 3C | 94.72 | 7.05 | 109.63 | 23.462 | 133.092 | SQM |
| 3D | 97.5  | 6.43 | 111.91 | 23.950 | 135.860 | SQM |
|    |       |      |        |        |         |     |
| 4A | 97.51 | 6.43 | 111.91 | 23.950 | 135.860 | SQM |
| 4B | 94.66 | 7.03 | 109.55 | 23.445 | 132.995 | SQM |
| 4C | 94.72 | 7.05 | 109.63 | 23.462 | 133.092 | SQM |
| 4D | 97.5  | 6.43 | 111.91 | 23.950 | 135.860 | SQM |
|    |       |      |        |        |         |     |
| 5A | 97.51 | 6.43 | 111.91 | 23.950 | 135.860 | SQM |
| 5B | 94.66 | 7.03 | 109.55 | 23.445 | 132.995 | SQM |
| 5C | 94.72 | 7.05 | 109.63 | 23.462 | 133.092 | SQM |
| 5D | 97.5  | 6.43 | 111.91 | 23.950 | 135.860 | SQM |
|    |       |      |        |        |         |     |
| 6A | 97.51 | 6.43 | 111.91 | 23.950 | 135.860 | SQM |
| 6B | 94.66 | 7.03 | 109.55 | 23.445 | 132.995 | SQM |
| 6C | 94.72 | 7.05 | 109.63 | 23.462 | 133.092 | SQM |
| 6D | 97.5  | 6.43 | 111.91 | 23.950 | 135.860 | SQM |
|    |       |      |        |        |         |     |
| 7A | 97.51 | 6.43 | 111.91 | 23.950 | 135.860 | SQM |
| 7B | 94.66 | 7.03 | 109.55 | 23.445 | 132.995 | SQM |
| 7C | 94.72 | 7.05 | 109.63 | 23.462 | 133.092 | SQM |
| 7D | 97.5  | 6.43 | 111.91 | 23.950 | 135.860 | SQM |
|    |       |      |        |        |         |     |
| 8A | 97.51 | 6.43 | 111.91 | 23.950 | 135.860 | SQM |
| 8B | 94.66 | 7.03 | 109.55 | 23.445 | 132.995 | SQM |
| 8C | 94.72 | 7.05 | 109.63 | 23.462 | 133.092 | SQM |
| 8D | 97.5  | 6.43 | 111.91 | 23.950 | 135.860 | SQM |
|    |       |      |        |        |         |     |

|     |       |      |        |        |         |     |
|-----|-------|------|--------|--------|---------|-----|
| 9A  | 97.51 | 6.43 | 111.91 | 23.950 | 135.860 | SQM |
| 9B  | 94.66 | 7.03 | 109.55 | 23.445 | 132.995 | SQM |
| 9C  | 94.72 | 7.05 | 109.63 | 23.462 | 133.092 | SQM |
| 9D  | 97.5  | 6.43 | 111.91 | 23.950 | 135.860 | SQM |
|     |       |      |        |        |         |     |
| 10A | 97.51 | 6.43 | 111.91 | 23.950 | 135.860 | SQM |
| 10B | 94.66 | 7.03 | 109.55 | 23.445 | 132.995 | SQM |
| 10C | 94.72 | 7.05 | 109.63 | 23.462 | 133.092 | SQM |
| 10D | 97.5  | 6.43 | 111.91 | 23.950 | 135.860 | SQM |
|     |       |      |        |        |         |     |
| 11A | 97.51 | 6.43 | 111.91 | 23.950 | 135.860 | SQM |
| 11B | 94.66 | 7.03 | 109.55 | 23.445 | 132.995 | SQM |
| 11C | 94.72 | 7.05 | 109.63 | 23.462 | 133.092 | SQM |
| 11D | 97.5  | 6.43 | 111.91 | 23.950 | 135.860 | SQM |
|     |       |      |        |        |         |     |
| 12A | 97.51 | 6.43 | 111.91 | 23.950 | 135.860 | SQM |
| 12B | 94.66 | 7.03 | 109.55 | 23.445 | 132.995 | SQM |
| 12C | 94.72 | 7.05 | 109.63 | 23.462 | 133.092 | SQM |
| 12D | 97.5  | 6.43 | 111.91 | 23.950 | 135.860 | SQM |
|     |       |      |        |        |         |     |

## BLOCK 18      BLOCK TYPE 5

| UNIT NO. | CARPET AREA (SQM.) | BALCONY AREA (SQM.) | BUILTUP AREA (SQM.) | PROPORTIONATE COMMON AREA (SQM.) | SALE AREA (SQM) |     | O.T 1    |     |
|----------|--------------------|---------------------|---------------------|----------------------------------|-----------------|-----|----------|-----|
|          |                    |                     |                     |                                  |                 |     |          |     |
|          |                    |                     |                     |                                  |                 |     |          |     |
|          |                    |                     |                     |                                  |                 |     |          |     |
| 1A       | 97.51              | 6.43                | 111.91              | 23.950                           | 135.860         | SQM | 22.01784 | SQM |
| 1B       | 94.66              | 7.03                | 109.55              | 23.445                           | 132.995         | SQM | 32.7945  | SQM |
| 1C       | 94.72              | 7.05                | 109.63              | 23.462                           | 133.092         | SQM | 52.39688 | SQM |
| 1D       | 97.5               | 6.43                | 111.91              | 23.950                           | 135.860         | SQM |          |     |
|          |                    |                     |                     |                                  |                 |     |          |     |

|    |       |      |        |        |         |     |
|----|-------|------|--------|--------|---------|-----|
|    |       |      |        |        |         |     |
| 2A | 97.51 | 6.43 | 111.91 | 23.950 | 135.860 | SQM |
| 2B | 94.66 | 7.03 | 109.55 | 23.445 | 132.995 | SQM |
| 2C | 94.72 | 7.05 | 109.63 | 23.462 | 133.092 | SQM |
| 2D | 97.5  | 6.43 | 111.91 | 23.950 | 135.860 | SQM |
|    |       |      |        |        |         |     |
| 3A | 97.51 | 6.43 | 111.91 | 23.950 | 135.860 | SQM |
| 3B | 94.66 | 7.03 | 109.55 | 23.445 | 132.995 | SQM |
| 3C | 94.72 | 7.05 | 109.63 | 23.462 | 133.092 | SQM |
| 3D | 97.5  | 6.43 | 111.91 | 23.950 | 135.860 | SQM |
|    |       |      |        |        |         |     |
| 4A | 97.51 | 6.43 | 111.91 | 23.950 | 135.860 | SQM |
| 4B | 94.66 | 7.03 | 109.55 | 23.445 | 132.995 | SQM |
| 4C | 94.72 | 7.05 | 109.63 | 23.462 | 133.092 | SQM |
| 4D | 97.5  | 6.43 | 111.91 | 23.950 | 135.860 | SQM |
|    |       |      |        |        |         |     |
| 5A | 97.51 | 6.43 | 111.91 | 23.950 | 135.860 | SQM |
| 5B | 94.66 | 7.03 | 109.55 | 23.445 | 132.995 | SQM |
| 5C | 94.72 | 7.05 | 109.63 | 23.462 | 133.092 | SQM |
| 5D | 97.5  | 6.43 | 111.91 | 23.950 | 135.860 | SQM |
|    |       |      |        |        |         |     |
| 6A | 97.51 | 6.43 | 111.91 | 23.950 | 135.860 | SQM |
| 6B | 94.66 | 7.03 | 109.55 | 23.445 | 132.995 | SQM |
| 6C | 94.72 | 7.05 | 109.63 | 23.462 | 133.092 | SQM |
| 6D | 97.5  | 6.43 | 111.91 | 23.950 | 135.860 | SQM |
|    |       |      |        |        |         |     |
| 7A | 97.51 | 6.43 | 111.91 | 23.950 | 135.860 | SQM |
| 7B | 94.66 | 7.03 | 109.55 | 23.445 | 132.995 | SQM |
| 7C | 94.72 | 7.05 | 109.63 | 23.462 | 133.092 | SQM |
| 7D | 97.5  | 6.43 | 111.91 | 23.950 | 135.860 | SQM |
|    |       |      |        |        |         |     |
| 8A | 97.51 | 6.43 | 111.91 | 23.950 | 135.860 | SQM |
| 8B | 94.66 | 7.03 | 109.55 | 23.445 | 132.995 | SQM |
| 8C | 94.72 | 7.05 | 109.63 | 23.462 | 133.092 | SQM |
| 8D | 97.5  | 6.43 | 111.91 | 23.950 | 135.860 | SQM |
|    |       |      |        |        |         |     |



|     |       |      |        |        |         |     |
|-----|-------|------|--------|--------|---------|-----|
| 9A  | 97.51 | 6.43 | 111.91 | 23.950 | 135.860 | SQM |
| 9B  | 94.66 | 7.03 | 109.55 | 23.445 | 132.995 | SQM |
| 9C  | 94.72 | 7.05 | 109.63 | 23.462 | 133.092 | SQM |
| 9D  | 97.5  | 6.43 | 111.91 | 23.950 | 135.860 | SQM |
|     |       |      |        |        |         |     |
| 10A | 97.51 | 6.43 | 111.91 | 23.950 | 135.860 | SQM |
| 10B | 94.66 | 7.03 | 109.55 | 23.445 | 132.995 | SQM |
| 10C | 94.72 | 7.05 | 109.63 | 23.462 | 133.092 | SQM |
| 10D | 97.5  | 6.43 | 111.91 | 23.950 | 135.860 | SQM |
|     |       |      |        |        |         |     |
| 11A | 97.51 | 6.43 | 111.91 | 23.950 | 135.860 | SQM |
| 11B | 94.66 | 7.03 | 109.55 | 23.445 | 132.995 | SQM |
| 11C | 94.72 | 7.05 | 109.63 | 23.462 | 133.092 | SQM |
| 11D | 97.5  | 6.43 | 111.91 | 23.950 | 135.860 | SQM |
|     |       |      |        |        |         |     |
|     | 97.51 | 6.43 | 111.91 | 23.950 | 135.860 | SQM |
| 12A | 94.66 | 7.03 | 109.55 | 23.445 | 132.995 | SQM |
| 12B | 94.72 | 7.05 | 109.63 | 23.462 | 133.092 | SQM |
| 12C | 97.5  | 6.43 | 111.91 | 23.950 | 135.860 | SQM |
| 12D |       |      |        |        |         |     |

## BLOCK 19      BLOCK TYPE 5

| UNIT NO. | CARPET AREA (SQM.) | BALCONY AREA (SQM.) | BUILTUP AREA (SQM.) | PROPORTIONATE COMMON AREA (SQM.) | SALE AREA (SQM) | O.T 1 |                 |
|----------|--------------------|---------------------|---------------------|----------------------------------|-----------------|-------|-----------------|
|          |                    |                     |                     |                                  |                 |       |                 |
|          |                    |                     |                     |                                  |                 |       |                 |
|          |                    |                     |                     |                                  |                 |       |                 |
| 1A       | 97.51              | 6.43                | 111.91              | 23.950                           | 135.860         | SQM   |                 |
| 1B       | 94.66              | 7.03                | 109.55              | 23.445                           | 132.995         | SQM   | 32.7945    SQM  |
| 1C       | 94.72              | 7.05                | 109.63              | 23.462                           | 133.092         | SQM   | 32.7945    SQM  |
| 1D       | 97.5               | 6.43                | 111.91              | 23.950                           | 135.860         | SQM   | 22.11074    SQM |
|          |                    |                     |                     |                                  |                 |       |                 |

|    |       |      |        |        |         |     |
|----|-------|------|--------|--------|---------|-----|
|    |       |      |        |        |         |     |
| 2A | 97.51 | 6.43 | 111.91 | 23.950 | 135.860 | SQM |
| 2B | 94.66 | 7.03 | 109.55 | 23.445 | 132.995 | SQM |
| 2C | 94.72 | 7.05 | 109.63 | 23.462 | 133.092 | SQM |
| 2D | 97.5  | 6.43 | 111.91 | 23.950 | 135.860 | SQM |
|    |       |      |        |        |         |     |
| 3A | 97.51 | 6.43 | 111.91 | 23.950 | 135.860 | SQM |
| 3B | 94.66 | 7.03 | 109.55 | 23.445 | 132.995 | SQM |
| 3C | 94.72 | 7.05 | 109.63 | 23.462 | 133.092 | SQM |
| 3D | 97.5  | 6.43 | 111.91 | 23.950 | 135.860 | SQM |
|    |       |      |        |        |         |     |
| 4A | 97.51 | 6.43 | 111.91 | 23.950 | 135.860 | SQM |
| 4B | 94.66 | 7.03 | 109.55 | 23.445 | 132.995 | SQM |
| 4C | 94.72 | 7.05 | 109.63 | 23.462 | 133.092 | SQM |
| 4D | 97.5  | 6.43 | 111.91 | 23.950 | 135.860 | SQM |
|    |       |      |        |        |         |     |
| 5A | 97.51 | 6.43 | 111.91 | 23.950 | 135.860 | SQM |
| 5B | 94.66 | 7.03 | 109.55 | 23.445 | 132.995 | SQM |
| 5C | 94.72 | 7.05 | 109.63 | 23.462 | 133.092 | SQM |
| 5D | 97.5  | 6.43 | 111.91 | 23.950 | 135.860 | SQM |
|    |       |      |        |        |         |     |
| 6A | 97.51 | 6.43 | 111.91 | 23.950 | 135.860 | SQM |
| 6B | 94.66 | 7.03 | 109.55 | 23.445 | 132.995 | SQM |
| 6C | 94.72 | 7.05 | 109.63 | 23.462 | 133.092 | SQM |
| 6D | 97.5  | 6.43 | 111.91 | 23.950 | 135.860 | SQM |
|    |       |      |        |        |         |     |
| 7A | 97.51 | 6.43 | 111.91 | 23.950 | 135.860 | SQM |
| 7B | 94.66 | 7.03 | 109.55 | 23.445 | 132.995 | SQM |
| 7C | 94.72 | 7.05 | 109.63 | 23.462 | 133.092 | SQM |
| 7D | 97.5  | 6.43 | 111.91 | 23.950 | 135.860 | SQM |
|    |       |      |        |        |         |     |
| 8A | 97.51 | 6.43 | 111.91 | 23.950 | 135.860 | SQM |
| 8B | 94.66 | 7.03 | 109.55 | 23.445 | 132.995 | SQM |
| 8C | 94.72 | 7.05 | 109.63 | 23.462 | 133.092 | SQM |
| 8D | 97.5  | 6.43 | 111.91 | 23.950 | 135.860 | SQM |
|    |       |      |        |        |         |     |
| 9A | 97.51 | 6.43 | 111.91 | 23.950 | 135.860 | SQM |
| 9B | 94.66 | 7.03 | 109.55 | 23.445 | 132.995 | SQM |
| 9C | 94.72 | 7.05 | 109.63 | 23.462 | 133.092 | SQM |
| 9D | 97.5  | 6.43 | 111.91 | 23.950 | 135.860 | SQM |
|    |       |      |        |        |         |     |



|     |       |      |        |        |         |     |
|-----|-------|------|--------|--------|---------|-----|
| 10A | 97.51 | 6.43 | 111.91 | 23.950 | 135.860 | SQM |
| 10B | 94.66 | 7.03 | 109.55 | 23.445 | 132.995 | SQM |
| 10C | 94.72 | 7.05 | 109.63 | 23.462 | 133.092 | SQM |
| 10D | 97.5  | 6.43 | 111.91 | 23.950 | 135.860 | SQM |
|     |       |      |        |        |         |     |
| 11A | 97.51 | 6.43 | 111.91 | 23.950 | 135.860 | SQM |
| 11B | 94.66 | 7.03 | 109.55 | 23.445 | 132.995 | SQM |
| 11C | 94.72 | 7.05 | 109.63 | 23.462 | 133.092 | SQM |
| 11D | 97.5  | 6.43 | 111.91 | 23.950 | 135.860 | SQM |
|     |       |      |        |        |         |     |
| 12A | 97.51 | 6.43 | 111.91 | 23.950 | 135.860 | SQM |
| 12B | 94.66 | 7.03 | 109.55 | 23.445 | 132.995 | SQM |
| 12C | 94.72 | 7.05 | 109.63 | 23.462 | 133.092 | SQM |
| 12D | 97.5  | 6.43 | 111.91 | 23.950 | 135.860 | SQM |
|     |       |      |        |        |         |     |

| <b>Residential Area Statement</b> |         |            |                    |                       |
|-----------------------------------|---------|------------|--------------------|-----------------------|
| Block                             | Floor   | Unit       | Carpet Area Sq.Mtr | Built- up Area Sq.Mtr |
| Block - 16                        | 1 to 12 | A          | 97.51              | 111.91                |
|                                   | 1 to 12 | B          | 94.66              | 109.55                |
|                                   | 1 to 12 | C          | 94.72              | 109.63                |
|                                   | 1 to 12 | D          | 97.5               | 111.91                |
| <b>Total</b>                      |         | <b>48</b>  | <b>1537.56</b>     | <b>1772</b>           |
| Block - 17                        | 1 to 12 | A          | 97.51              | 111.91                |
|                                   | 1 to 12 | B          | 94.66              | 109.55                |
|                                   | 1 to 12 | C          | 94.72              | 109.63                |
|                                   | 1 to 12 | D          | 97.5               | 111.91                |
| <b>Total</b>                      |         | <b>48</b>  | <b>1537.56</b>     | <b>1772</b>           |
| Block - 18                        | 1 to 12 | A          | 97.51              | 111.91                |
|                                   | 1 to 12 | B          | 94.66              | 109.55                |
|                                   | 1 to 12 | C          | 94.72              | 109.63                |
|                                   | 1 to 12 | D          | 97.5               | 111.91                |
| <b>Total</b>                      |         | <b>48</b>  | <b>1537.56</b>     | <b>1772</b>           |
| Block - 19                        | 1 to 12 | A          | 97.51              | 111.91                |
|                                   | 1 to 12 | B          | 94.66              | 109.55                |
|                                   | 1 to 12 | C          | 94.72              | 109.63                |
|                                   | 1 to 12 | D          | 97.5               | 111.91                |
| <b>Total</b>                      |         | <b>48</b>  | <b>1537.56</b>     | <b>1772</b>           |
| <b>Grand Total</b>                |         | <b>192</b> | <b>6150.24</b>     | <b>7088</b>           |

Thanking You

For DEVALOKE DEVELOPERS LTD.



Director

SankarKundu  
DEVALOKE DEVELOPERS LIMITED  
WEST BENGAL  
DATE: 3<sup>rd</sup> July, 2023