

JOB NO.: MTE373/2024

FORM - I

[See Rule 3(1)]

Our Registration No - 520

OUR CONTRACT NO:

**Application for permission to erect Lifts
Or for making additions or alterations to the installed Lift**

(To be submitted to the Chief Electrical Inspector, Government of West Bengal)

1. Full Name & Address of the Applicant:	BIJAY KRISHNA DAM, Holding No. 1084, MAKHAN CHATTERJEE LANE, WARD NO. 14, P.O. & P.S. CHANDANNAGAR, DIST - HOOGHLY UNDER CHANDANNAGAR MUNICIPALITY CORPORATION, PIN - 712136
2. Name and Address of the local agent, if any:	N.A.
3. Address of the premises at which the lift is proposed to be erected & the of the owner of the premises:	Holding No. 1084, MAKHAN CHATTERJEE LANE, WARD NO. 14, P.O. & P.S. CHANDANNAGAR, DIST - HOOGHLY UNDER CHANDANNAGAR MUNICIPALITY CORPORATION, PIN - 712136 BIJAY KRISHNA DAM
4. Whether any application for permission was previously made, If so, details of the same:	N.A. ✓
5. Type of lifts proposed to be erected:	Passenger / Bed cum Passenger / Goods / Service
6. Makers Name & Address:	M. T. ELEVATOR & CO., ¼ Benimadhab Ghosh Lane, Uttarpara, Hooghly, Pin - 712232 License No. - 2021020611 (520)
7. The contract speed of the lift:	0.63 M.P.S/V3F
8. The contract load of the lift in Kg;	340 Kg
9. The maximum number of persons including the lift attendant which the lift can carry:	5 Persons Only.
10. The total weight of the lift car including the contract load	808 Kg.
11. The weight of the counterweight	612 Kg. (42.5% Over Balanced).
12. The number, description weight & size of the suspension ropes:	3 nos. Ungalvanised medium Carbon Steel, 55 Kg./100 Mtrs. and 13 mm dia.
13. The pit depth:	1550 mm.
14. Travel & the number of floors to be served:	11400 mm / Ground to 4 th Floors (G+4)
15. The total headroom: 4200 mm	A) Top Floor to bottom of Machine Room Floor - 4100 mm. B) Top Floor to bottom of Machine Room Ceiling - 6400 mm C) Thickness of Machine Room Slab - 150 mm.
16. (i) Details of construction of the over-head arrangement with the weight & size of the beams. (ii) The approximate reaction, which will be imposed on the building due to the lift installation including supporting became etc.	Machine will be placed directly on the floor of the machine room which is designed to take the load 4.5 TONNES APPROX

Date.

M T ELEVATOR & CO.

Swapan Kumar Das

Proprietor.

Subhanwar Basu

Proprietor

Signature of the applicant
(Check & Sign)

BIBARSAN CONTRACTOR & CONSTRUCTION

Proprietor