



GROUND FLOOR SHUTTERING LAYOUT

- SPECIFICATIONS:-**
- ALL DIMENSIONS ARE IN MILLIMETRES UNLESS OTHERWISE STATED.
 - ALL EXTERNAL WALLS ARE 200 TH & ALL INTERNAL WALLS ARE 125 TH.
 - THE DEPTH OF S.U.G.W.R. & SEPTIC TANK SHALL NEVER EXCEED THE DEPTH OF FOUNDATION.
 - BRICK WORK 200 TH. MORTAR 1:5:8 BRICK WORK 125 TH. MORTAR 1:4.
 - ALL R.C.C. WORKS M25 EXCEPT FOUNDATION M35.
 - GRADE OF STEEL FE 415 IS CODE ISR:800.
 - ALL SHORTCUTS OF PRECAUTIONARY MEASURE WILL BE TAKEN AT THE TIME OF CONSTRUCTION.
 - OTHERS ITEM ARE AS PER I.S. SPECIFICATION.

DECLARATION OF GEO-TECHNICAL ENGINEER:

UNDERSIGNED HAS RESPECTED THE SITE AND CARRIED OUT SOIL INVESTIGATION THEREON. IT IS CERTIFY THAT THE EXISTING SOIL OF THE SITE IS ABLE TO CARRY THE LOAD COMING FROM THE PROPOSED CONSTRUCTION AND THE FOUNDATION SYSTEM PROPOSED HEREIN IS SAFE AND STABLE IN ALL RESPECT FROM GEO-TECHNICAL POINT OF VIEW.

Jishnu Pal
JISHNU PAL
 B.Tech (Civil), M.E (Geo-tech)
 KMC Reg. No: G.7/1/32
 C.T.E.R./KCOA/10/0043
 22/RJSON/G-1/2016-17
 HMC Reg. No: EGTE/CLASS-1/15

SIGNATURE OF GEO-TECHNICAL ENGINEER:
 I HAVE REVIEWED / CHECKED THE STRUCTURAL DRAWING AND DESIGN DETAILS OF THIS PROJECT WHICH HAS BEEN DONE COMPLYING RELEVANT I.S. CODE INCLUDING SEISMIC AND THE NATIONAL BUILDING CODE. I CERTIFY THAT THE STRUCTURE WILL BE SAFE & STABLE AGAINST ALL VERTICAL AND LATERAL LOADS AND WILL BE FIT FOR HABITABLE USE.

Utpal Santra
UTPAL SANTRA
 B.C.E., M.C.E. (STRUCT)
 F.I.E.-F122601
 KMC Empowered Structural Reviewer
 E.S.R. - (I) 5810
SIGN OF STRUCTURAL REVIEWER:

CERTIFICATE OF STRUCTURAL ENGINEER:

THIS IS TO CERTIFY THAT THE STRUCTURAL DESIGN AND DRAWING OF BOTH FOUNDATION AND SUPER STRUCTURE OF THE BUILDING HAS BEEN MADE BY ME CONSIDERING ALL POSSIBLE LOADS INCLUDING THE SEISMIC LOAD AS PER THE NATIONAL BUILDING CODE OF INDIA AND CERTIFIED THAT IT IS SAFE AND STABLE IN ALL RESPECTS.

Sumita DeY
SUMITA DEY
 M.C.E., M.I.E., C.E.
 ESE/1/93
SIGNATURE OF STRUCTURAL ENGINEER:

SIGNATURE OF ARCHITECT:
 WE DO HEREBY UNDERTAKE WITH FULL RESPONSIBILITY THAT - (1) WE SHALL ENGAGE ARCHITECT & E.S.E DURING CONSTRUCTION. (2) WE SHALL FOLLOW THE INSTRUCTION OF ARCHITECT & E.S.E DURING CONSTRUCTION OF THE BUILDING (AS PER S.PLAN). (3) K.M.C AUTHORITY WILL NOT BE RESPONSIBLE FOR STRUCTURAL STABILITY OF THE BUILDING & ADJOINING STRUCTURE. (4) IF ANY SUBMITTED DOCUMENTS ARE FOUND TO BE FAKING, THE K.M.C AUTHORITY WILL REVOKE THE SANCTION PLAN. (5) THE CONSTRUCTION OF WATER RESERVOIR AND SEPTIC TANK WILL BE UNDER THE GUIDANCE OF ARCHITECT / E.S.E.

For Kolkata Metropolitan Development Authority
(Plan Prosej Sharma)
 Constituted Attorney

SIGNATURE OF OWNER:
 I HEREBY CERTIFY THAT THE ERECTION OF BUILDING ON PREMISES NO. P-10 C.I.T. SCHEME (II - M), KOLKATA-700048 IS UNDER MY SUPERVISION. I ALSO CERTIFY THAT THE PROPOSED CHANGES IN LAYOUT HAS BEEN DRAWN AS PER PROVISION OF K.M.C BUILDING RULES 2009.

Subir Kumar Basu
SUBIR KUMAR BASU
 Registered Architect
 Regn. No. - CA/784375

SIGNATURE OF ARCHITECT:
PROJECT-
 PROPOSED ADDITION OF 4 NOS. FLOOR (HT-100.1 M) OVER AN EXISTING B+G+27 STORED(3 NOS TOWERS) RESIDENTIAL BUILDING WITH PODIUM AND G+V & G+VI STORED REHABILITATION BLOCK U/S 394 OF K.M.C. ACT 1980 READ WITH 69A(D)(a), ALONG WITH U/R 26(2a)&(2b) OF K.M.C. BUILDING RULE 2009 AT PREMISES NO. P-10 C.I.T. SCHEME (II - M), MANICKTALA, WARD - 32, BOROUGH - III, KOLKATA -700054.

PREVIOUS B.P. NO. 2012030110, DATED 23.03.13.
 SUBSEQUENTLY REVALUED FURTHER 5 YEARS

Architect:
Subir Kumar Basu
 CONSULTING ARCHITECTS & ENGINEERS
 4, BROAD STREET, KOLKATA - 700013
 website : www.subirkumarbasu.com

Civil & Structural Consultants:
M.N. CONSULTANTS (Pvt). Ltd.
 MNC HOUSE
 1515, RAJANIGAMA MAIN ROAD
 KOLKATA - 700 107
 Ph.No. - 913324418082/913340165700
 FAX No. 913324418083
 E-MAIL: mnconp2200@gmail.com.

GROUND FLOOR SHUTTERING LAYOUT

Drawn A.M	Scale- AS SHOWN	Date 10.10.2023
Job No. 2338	Drawing No. CORP-S20-00-01	

PARTY'S COPY

Structural plan and design calculation as submitted by the structural engineer have been kept with B P No. 10000053 Date 13/10/23 for record of the Borough Municipal Corporation without verification No date. It is noted that the proposed structural plan should be made at the time of submission and the structural engineer should provide a certificate in the production of the plan and the steps should be taken for the safety of adjoining properties and private properties and safety of human life during construction.

[Signature]
[Signature]
EXECUTIVE ENGINEER/ASST. ENGINEER
BOROUGH NO - 10

Necessary steps should be taken for the safety of the lives of the adjoining public and private properties during construction.

RESIDENTIAL BUILDING

Building Department
Borough-III, K.M.C.
Date: 13.10.23, Sign: *[Signature]*
Contents Not Verified