



## भारतीय विमानपत्तन प्राधिकरण AIRPORTS AUTHORITY OF INDIA

Sri Ratan Loha

Date: 26-08-2024

37/1A, S. N. Roy Road,  
Kolkata - 700 038

### System Generated Auto Assessment for Height Clearance

1. Airports Authority of India (AAI) in pursuance of responsibility conferred by and as per the provisions of Govt. of India (Ministry of Civil Aviation) order GSR 751 (E) dated 30th Sep. 2015 for Safe and Regular Aircraft Operations has assessed the site data filled by the applicant.

2. Assessment details for Height Clearance:

NOC ID :	BEHA/EAST/B/082324/1188730
Applicant Name*	Arindam Ghoshal
Site Address*	Premises No. 33A, Banerjee Para Road, Kolkata - 700 060, Ward No. - 132, Borough No. - XIV Under The Kolkata Municipal Corporation
Site Coordinates*	22 30 26.80N 88 18 42.60E, 22 30 27.34N 88 18 42.74E, 22 30 26.60N 88 18 43.40E, 22 30 27.20N 88 18 43.50E
Site Elevation in mtrs AMSL as submitted by Applicant*	4.24 M
Type Of Structure*	Building

\*As provided by applicant

**Your site is located at a distance 1826 mts from ARP and lies in the grid U14 of the published CCZM of Behala airport. The Permitted top elevation for this grid is 33 mts.**

**Since the requested top elevation 30.24 mts in AMSL is below CCZM permitted top elevation, the NOC for height clearance is not required from Airports Authority of India.**

3. This assessment is subject to the terms and conditions as given below:

a. The site-elevation and site coordinates provided by the applicant are taken for calculation of the permissible top elevation for the proposed structure. If however, at any stage it is established that the actual data is different from the one provided by the applicant, this assessment will become invalid.

b. The Site coordinates as provided by the applicant in the NOC application has been plotted on the street view map and satellite map as shown in ANNEXURE. Applicant/Owner to ensure that the plotted coordinates corresponds to his/her site. In case of any discrepancy, this assessment shall be treated as null and void

c. Airport operator or his designated representative may visit the site (with prior coordination with applicant or owner) to ensure that assessment terms & conditions are complied with.

d. The assessment is further subject to the provisions of Section 9-A of the Indian Aircraft Act, 1934 and any notifications issued there under from time to time including the Aircraft (Demolition of Obstruction caused by Buildings and Trees etc.) Rules, 1994.



भारतीय विमानपत्तन प्राधिकरण  
AIRPORTS AUTHORITY OF INDIA

e. The applicant is responsible to obtain all other statutory clearances from the concerned authorities including the approval of building plans. This assessment for height is to ensure the safe and regular aircraft operations and shall not be used as document for any other purpose/claim whatsoever, including ownership of land etc.

f. Use of oil, electric or any other fuel which does not create smoke hazard for flight operations is obligatory, within 8 KM of the Aerodrome Reference Point.

g. This assessment has been issued w.r.t. the Civil Airports as notified in GSR 751(E). Applicant needs to seek separate NOC for Defence, if the site lies within jurisdiction of Defence Airport. Applicants also need to seek clearance from state Govt. as applicable, for sites which lies in the jurisdiction of unlicensed civil aerodrome as outlined in Rule 13 of GSR751 (E).

*This assessment is system auto generated and thus does not require any signature*

Designated Officer

Region Name: EAST


Address: General Manager Airports  
Authority of India, Regional  
Headquarter, Eastern Region,  
N.S.C.B.I Airport,  
Kolkata-700052

Email ID: gmatmer@aai.aero

Contact No: 033-25111293




### Street View



August 23, 2024

Figure 1 shows a number line with two scales. The top scale is in miles, ranging from 0 to 0.11 with major ticks every 0.02 miles. The bottom scale is in kilometers, ranging from 0 to 0.18 with major ticks every 0.02 kilometers. A point is marked on the top scale at 0.06 miles, which corresponds to 1.3600 on the bottom scale. The distance from the base of the tower to the top of the tower is indicated as 1.3600 on the top scale and 0.06 on the bottom scale.

## Satellite View



August 23, 2024

0 0.03 0.06 0.11 mi

0 0.04 0.09 0.18 km

Source: U.S. Geological Survey, and U.S. Coast and Geodetic Survey