











							- · ·								. 2										·					
				LIGHTENING																										
				ARRESTOR SS ‡	O.H.TANK			I CHANGING_LINE					,		SECTION CHANGING	LUNE	·		150	О.Н.Т.	ANK		-2500 300			r				
	75 1	TH. LIME TERRACING OVER 150 TH. R.C.C. SLAB		+0099	S.H.R		M.R					75 TH. LIME 150 TH.	<u>TERRA</u> CING OYER . R.C.C. SLAB							009	S.H.R	L.	.M.R		75 TH. LIME	E TERRACING OVER I. R.C.C. SLAB				
		О.Т.	(XI)			1500									O.T. (XI)		· 				TREAD=250	-5550				O.T. (XI)			ROOF	1200
	BED ROOM	BED ROOM		LIVING	TREAD=250 RISER=152.5		LOBBY	LOB	ву		LIVING		BED ROOM	BED ROOM	BED ROOM	11	TOILET WTF	DINING	KITCHEN	11	RISER = 152.5	LIFT	LOBBY	LIVING		BED ROOM	TOILET WTF	BED ROOM	10TH FLOOR	3050
-					TREAD=250																TREAD=250 RISER=152.5	,					TOILET			3050
	BED ROOM	BED ROOM		LIVING	RISER=152.5		LOBBY	LOB	ВУ		LIVING		BED ROOM	BED ROOM	BED ROOM	II I	TOILET WIF	DINING	KITCHEN		TREAD=250 RISER=152.5	LIFT	LOBBY	LIVING		BED ROOM	WTF	BED ROOM	9TH FLOOR	
	BED ROOM	BED ROOM		LIVING	TREAD=250 RISER=152.5		LOBBY	LOB	ву		LIVING		BED ROOM	BED ROOM	BED ROOM	11 1	TOILET WTF	DINING	KITCHEN	1		LIFT	LOBBY	LIVING		BED ROOM	TOILET	BED ROOM	8TH FLOOR	302
	<u></u>				TREAD=250 RISER=152.5									DDD DOOL			TOILET		KITCHEN		TREAD = 250 RISER = 152.5	LIFT	LOBBY	LIVING		BED ROOM	TOILET	BED ROOM	ZTILELOOD	3050
	BED ROOM	BED ROOM		LIVING			LOBBY	LOE	ВУ		LIVING		BED ROOM	BED ROOM	BED ROOM	M WIF-	<u> </u>	DINING	KITCHEN		TREAD=250 RISER=152.5		LOBBT	LIVING		BED ROOM	•	BED ROOM	7TH FLOOR	3050
	BED ROOM	BED ROOM		LIVING	TREAD=250 RISER=152.5		LOBBY	LOE	ВУ		LIVING		BED ROOM	BED ROOM	BED ROOM	11	T TOILET WTF	DINING	KITCHEN	N N	TREAD=250	LIFT	LOBBY	LIVING	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	BED ROOM	TOILET	BED ROOM	6TH FLOOR	
:	BED ROOM	BED ROOM		LIVING	TREAD=250 RISER=152.5		LOBBY	Y	вву		LIVING	To the second of	BED ROOM	BED ROOM	BED ROOM	il)	T TOILET	DINING	KITCHEN	<u> </u>	RISER = 152.5	LIFT	LOBBY	LIVING		BED ROOM	TOILET WTF	BED ROOM	5TH FLOOR	3050
					TREAD=250]										TOUR	TOVET				TREAD=250 RISER=152.5			The state of the s			TOILET			3050—
	BED ROOM	BED ROOM		LIVING	RISER=152.5		LOBBY	LOE			LIVING		BED ROOM	BED ROON	BED ROOM		T TOILET VIF	DINING	KITCHEN	1	T9.EAD=250 RUSER=152.5	LIFT	LOBBY	LIVING		BED ROOM	WTF	BED ROOM	4TH FLOOR	
	BED ROOM	BED ROOM		LIVING	TREAD=250 RISER=152.5		LOBBY	Y LOE	BY		LIVING		BED ROOM	BED ROOM	BED ROOM	M WTF-	TOILET WIF	DINING	KITCHEN	V		LIFT	LOBBY	LIVING		BED ROOM	TOILET WTF	BED ROOM	3RD FLOOR	308
				LIVING	TREAD=250 RISER=152.5						LIMBIC		DED BOOM	DED BOOM	PED BOOM	- 11	T TOILET	DINING	KITCHEN		TREAD=250 RISER=152.5	LIFT	LOBBY	LIVING	The state of the s	BED ROOM	TOILET	BED ROOM	2ND EL OOR	3050.
	BED ROOM	BED ROOM		LIVING			LOBBY	Y LOE	BBY	Table Land	LIVING		BED ROOM	BED ROOM	BED ROOM	M WIF-		DINING	KITCHEN		TREAD = 250 RISER = 170	LITT	LOBBI	LIVING		BED ROOM		BED ROOM	2ND FLOOR	
		BED ROOM		LIVING	TREAD = 250 RISER = 170		I OPP	Y LOI	apv		KITCHE	N/ PANTRY	in the contract of the contrac	LOBBY	GA	AMES ROOM/ R	ECREATION A	REA/ BANQUET H/	AII		L. L	LIFT	LOBBY			GAME ROOM			1ST FLOOR	4250
	BED ROOM			3771.0		<u>-</u>												Finique I in			TREAD = 250 RISER = 166.67							Į,		00055
PL GL	RAMP		PARKING + 150 LVL	` <u>.</u>	TREAD=250 RISER=159.09		LOBB + 600 L				CTRICAL PANEL + 600 LVL	ROOM	CL ENTR + 450	UB ANCE LVL	<u> </u>	PARKING + 150 LVL				+ 600 LVL	1. 1. 2. 2. 2. 2. 2. 3. 4. 3. 3. 4. 3. 3. 4. 4. 4. 4. 4. 4. 4. 4. 4. 4. 4. 4. 4.	LIFT	LOBBY + 600 LVL	PANEL ROOM + 600 LVL	DRIV	/ER'S REST ROOM + 150 LVL			PL GL	000
					TREAD = 250 RISER = 156.8																							RAMP		3300
c	PARKING	1	PARKING			~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~					PARKING						PARKING			SPACE MEI	FOR	LIFT 0091	LOBBY		PARKING		•		BASEMENT	
										SECT	TION - XX										لے									
																	2									1				
ALL EXTERNAL WALL THE DEPTH OF U.G.' BRICK WORK 250/20	IN MILLIMETERS UNLESS ARE 250/200 thk.& ALL V.R. & SEPTIC TANK SHAL O th. WITH MORTAR 1:6	L INTERNAL WALLS AR LL NEVER EXCEED THE & BRICK WORK 100 t	E 100 thk. & 75 DEPTH OF FOUNI th & 75 th. WITH	DATION.				STN0	RS AND LEG	WIND END		CHEDU IZE	JLE:																	
GRADE OF STEEL AS ALL SORTS OF PREC OTHER ITEMS ARE A	C.C. WORKS AS SPECIFIED SPECIFIED BY THE STRUC UTIONARY MEASURES WIL PER 1.S. SPECIFICATION. BE READ IN CONJUNCTI	CTURAL ENGINEER LL be taken at the '	TIME OF CONSTRU					2		WI	180	0X1850 0X1850	_																	
NO: 202217		·		DATE :10-/	AUG-22	الله المستخدرين إ		4 5		Wla W2 W3	150	0X1850 0X1850 0X1200	1		D		00X2150	75.7 HATTALIN, 1.14 15%			يف على المستحدث	and a second of the second	o o o o o o o o o o o o o o o o o o o		. A su	- · · · · - · · · · · · · · · · · · · ·	Laws Market 1999			
D UP TO : 0		itally signed	by			oigitally s	signed by	6	·· ·	W4 W5		5X1850 0X1200	3 4		D2 D3	10	00X2150 00X2150													
ebasi DM	DEB Date	BASIS SOM te: 2022.08.1 00:20 +05'30	0	SHIBA PRASA	s ¹ ANA (1	HIBA PR	ASAD JAN 2.08.10	1A 8		W6 W7	100	0X1200 0X1000	6		D5 CD	7!	00X2150 50X2150 000X2150													
IGNATURE OF							F E.E. (C)	10		W8 W9	· · · · · · · · · · · · · · · · · · ·)X1850)X900	8		SD FCD		100X2150						100 A				_:			
ING AT PREMISES NO DERING ALL THE PO	& DRAWING OF BOTH FO 2 354, PRANTIK PALLY, SSIBLE LOADS INCLUDING & CERTIFIED THAT IT IS	', KOLKATA, HAVE BEEN S SEISMIC LOAD AS PER	I MADE BY ME R THE NATIONAL	PROJECT W	VIIEWED / CHECKED THE ST PHICH HAS BEEN DONE CO MATIONAL BUILDING CODE THAT THE STRUCTURE WIL	MPLYING RELEVA	NT I.S. CODE INCLUI	DING SEISMIC	INVESTIGATION SITE IS ABLE T CONSTRUCTION	THEREON.IT IS (O CARRY THE LO AND THE FOUN	THE SITE AND CARR CERTIFIED THAT THE OAD COMING FROM IDATION SYSTEM PRO	E EXISTING SOIL (THE PROPOSED)POSED HEREIN I	S SAFE	ARCHITECT & I ARCHITECT ANI AUTHORITY WI	E.S.E DURING CONS' LL NOT BE RESPONSIE	UCTION. I / WE : Truction of thi	SHALL FOLLOW T E Building(AS :	WE SHALL ENGAGE THE INSTRUCTIONS OF PER B.S PLAN)K.M.C F THE BUILDING ANI	F DRAW C FROM ID ABUTI	VN AS PER PROVI I TIME TO TIME A TING ROAD (15.1	L RESPONSIBILITY SION OF K.M.C BUI ND THE SITE CONI D M.) CONFORMS	ILDING RULES 2 DITION INCLUDI WITH THE PLA	2009 AS AMENDI ING WIDTH TO 1 IN, WHICH HAS I	ED He Been P	PROJECT TI Proposed		ORIED (35.8)	OM.) RESIDENTIA	AL BUILDING AND (B+G+	-6)
NG REPORT HAS BEE	N DONE BY ALOKE ROY C SOIL TEST REPORT HAS	OF M/S GEOTEST ENGI	NEERS PVT. LTD.	LATERAL LO	O,ADS AND WILL BE FIT FO	R HABITABLE US	E.				OM GEO-TECHNICAL I			REVOKE THE S	TED DOCUMENTS ARE Anction Plan. The C Tion of Water Rese	CHARACTER OF LA ERVOIR <mark>and sept</mark>	IND IS BASTU. Tic tank will b	E UNDERTAKEN UNDI	FILLEI CONST BEFOI	D UP TANK, THE Truction of U.G	BY ME, IT IS A B LAND IS DEMARCA . WATER TANK AN BUILDING FOUNDA FM RYPACS	TED BOUNDARY D SEPTIC TANK	WALL, THE WILL BE COMP	R LETED K	STORIED (2 (OLKATA-70	.2.450 M.) INSTI	ITUTIONAL B	UILDING , AT P	REMISES NO. 354, PRANT D13, U/S 393A OF KMC	IK PALLY,
					·										OF E.S.E / ARCHITEC TMENTAL INSPECTION			G FOUNDATION WOR IFIED BY ME.	nn. 500 f	a. INVIT L/L UF	e.ii.dif#33,									
•																								5	HEET TITLI	E :				

NAME OF OWNER.

INDRANI GHOSH (DIRECTOR OF GLOBAL CARE HOSPITAL)

NAME OF GEO - TECHNICAL ENGINEER.

ALOK ROY (G.T./I/11)

NAME OF STRUCTURAL REVIEWER.

SANJIV J PAREKH (104/13 KMC)

NAME OF STRUCTURAL ENGINEER.

SUMITA DEY (ESE/I/93)

SECTION-XX

ARCHITECT:

DRAWN BY : A BISWAS

SCALE - 1:100

NAME OF ARCHITECT.

SUBIR KUMAR BASU (C.A/78/4375)

M/s. Subir Kumar Basu

DEALT BY : DIPANGSU SEKHAR BISWAS

SHEET NO. - 06

Consulting Architects & Engineers 4, Broad Street, Kolkata - 700 019

website: www.subirkumarbasu.com

CHECKED BY: RAJA BASU

DATE - 24.04.2021

APPROVED BY: SKB



,	IILLIMETERS UNLESS OTHERWISE STATED. 250/200 thk.& ALL INTERNAL WALLS ARE 100 thk. &	75 thk		DOOR	S AND WINDO	OW SCHEDI	ULE:							
• THE DEPTH OF U.G.W.R. &	& SEPTIC TANK SHALL NEVER EXCEED THE DEPTH OF FO	SLNO.	LEGEND	SIZE										
 BRICK WORK 250/200 th. WITH MORTAR 1:6 & BRICK WORK 100 th & 75 th. WITH MORTAR 1:4 MIX ALL CONCRETE OF R.C.C. WORKS AS SPECIFIED BY STRUCTURAL ENGINEER. GRADE OF STEEL AS SPECIFIED BY THE STRUCTURAL ENGINEER 					LLULIU	2000X1850								
 ALL SORTS OF PRECAUTION 	HARY MEASURES WILL BE TAKEN AT THE TIME OF CONS		2	WI	1800X1850									
 OTHER ITEMS ARE AS PER THIS DRAWING SHALL BE 	1.3. SPECIFICATION. READ IN CONJUNCTION WITH ALL OTHER RELEVANT DRA	3	Wla	1700X1850	_									
D.D. NO. 2022120240					W2	1500X1850			D	1500X2150				
B.P.NO: 2022120248 DATE: 10-AUG-22					W3	1500X1200	2		DI	1200X2150	=====================================	ساچ⊤ الله الله الله الله الله الله الله الل	البروية النقل الذي الدين الدين المستوين المستحينية بدين المستوين الدين والمرادي المستوين المستوين المستوين الم	man merekan kerajaan di arabah
					W4	1275X1850	3		D2	1100X2150				
	Digitally signed by		Digitally signed by	7	W5	1200X1200	4		D3	1000X2150				
DEBASIS	DEBASIS SOM	SHIBA	SHIBA PRASAD JANA	8	W6	1000X1200	5		D4	900X2150				
SOM	Date: 2022.08.10	PRASAD JAN	A Date: 2022.08.10	9	W7	1000X1000	6		D5	750X2150				
	17:01:23 +05'30' 		17:10:52 +05:30	10	W8	900X1850	7		50)	2000X2150				
SIGNATURE OF A.E	. (C)		SIGNATURE OF E.E. (C)	11	W9	600X900	8		FCD	1200X2150				
BUILDING AT PREMISES NO 3 CONSIDERING ALL THE POSSIBLE BUILDING CODE OF INDIA & CE TESTING REPORT HAS BEEN DO	AWING OF BOTH FOUNDATION & SUPERSTRUCTURE OF T 54, PRANTIK PALLY, KOLKATA, HAVE BEEN MADE BY ME E LOADS INCLUDING SEISMIC LOAD AS PER THE NATIONA RTIFIED THAT IT IS SAFE & STABLE IN ALL RESPECT. SO NE BY ALOKE ROY OF M/S GEOTEST ENGINEERS PYT. LT TEST REPORT HAS BEEN CONSIDERED DURING STRUCTU	THE STRUCTURAL DRAWING AND DESIGN DET. ONE COMPLYING RELEVANT I.S. CODE INCLUDING G CODE. RE WILL BE SAFE & STABLE AGAINST ALL VE FIT FOR HABITABLE USE.	G SEISMIC	INVESTIGATION THEREON.IT IS CESTIFE IS ABLE TO CARRY THE LOAD CONSTRUCTION AND THE FOUNDA	SNED HAS INSPECTED THE SITE AND CARRIED OUT SOIL ATION THEREON.IT IS CERTIFIED THAT THE EXISTING SOIL OF THE BLE TO CARRY THE LOAD COMING FROM THE PROPOSED CTION AND THE FOUNDATION SYSTEM PROPOSED HEREIN IS SAFE E IN ALL RESPECT FROM GEO-TECHNICAL POINT OF VIEW.			T & E.S.E DURING CONSTI T AND E.S.E DURING CON TY WILL NOT BE RESPONS G STRUCTURES. JBMITTED DOCUMENTS AR THE SANCTION PLAN, THE STRUCTION OF WATER RES DANCE OF E.S.E / ARCHITE	TH FULL RESPONSIBILITY THAT, I / TRUCTION. I / WE SHALL FOLLOW ASTRUCTION OF THE BUILDING(AS SIBLE FOR STRUCTURAL STABILITY RE FOUND TO BE FAKE. THE K.M.C E CHARACTER OF LAND IS BASTU. ESERVOIR AND SEPTIC TANK WILL ECT. BEFORE STARTING OF BUILDS ON OF THE SITE THE PLOT IS IDEN	THE INSTRUCTIONS OF PER B.S PLAN)K.M.C OF THE BUILDING AND AUTHORITY WILL BE UNDERTAKEN UNDER NG FOUNDATION WORK.	I CERTIFIED WITH FULL RESPONSIBILITY THAT THE BUILDING PLAN HAS BEEN DRAWN AS PER PROVISION OF K.M.C BUILDING RULES 2009 AS AMENDED FROM TIME TO TIME AND THE SITE CONDITION INCLUDING WIDTH TO THE ABUTTING ROAD (15.0 M.) CONFORMS WITH THE PLAN, WHICH HAS BEEN MEASURED & VERIFIED BY ME. IT IS A BUILD-ABLE SITE NOT A TANK OR FILLED UP TANK. THE LAND IS DEMARCATED BOUNDARY WALL. THE CONSTRUCTION OF U.G. WATER TANK AND SEPTIC TANK WILL BE COMPLETED BEFORE STARTING OF BUILDING FOUNDATION WORK. THE PLOT IS LOCATED 500 M. FROM C/L OF E.M.BYPASS.	PROPOSED (B+G+10) STORIED (35.80M.) RESIDENTIAL BUILDING AN STORIED (22.450 M.) INSTITUTIONAL BUILDING, AT PREMISES NO. 35 KOLKATA-700042, WARD - 107, MOUZA- KASBA, JL NO13, U/S 393A COMPLYING B/R 2009.	4, PRANTIK PALLY,	
													SHEET TITLE : SECTION-YY ARCHITECT :	
-					·								M/s. Subir Kumar Basu Consulting Architects & Engineers 4, Broad Street, Kolkata - 700 019 website: www.subirkumarbasu.co	,
	JCTURAL ENGINEER. DEY (ESE/I/93)		UCTURAL REVIEWER. EKH (104/13 KMC)			AME OF GEO - TECHNICAL ENGINEER. ALOK ROY (G.T./I/11)			NAME OF OWNER. INDRANI GHOSH (DIRECTOR OF GLOBAL CARE HOSPITAL)			NAME OF ARCHITECT. SUBIR KUMAR BASU (C.A/78/4375)	DRAWN BY: A BISWAS DEALT BY: DIPANGSU SEKHAR BISWAS CHECKED BY: RAJA SCALE - 1:100 SHEET NO 07 DATE - 24.04.202	



FRONT ELEVATION			,												
DIMENSIONS ARE IN MILLIMETERS UNLESS OTHERWISE STATED. EXTERNAL WALLS ARE 250/200 thk.& ALL INTERNAL WALLS ARE 100 thk. &	75 thk		DOOR	RS AND WIND	OW SCHEDU	J LE:									
EPTH OF U.G.W.R. & SEPTIC TANK SHALL NEVER EXCEED THE DEPTH OF FO WORK 250/200 th. WITH MORTAR 1:6 & BRICK WORK 100 th & 75 th. W	OUNDATION.		SLNO.	LEGEND	SIZE	7									
CRETE OF R.C.C. WORKS AS SPECIFIED BY STRUCTURAL ENGINEER. OF STEEL AS SPECIFIED BY THE STRUCTURAL ENGINEER	32110.	W	2000X1850	_											
SORTS OF PRECAUTIONARY MEASURES WILL BE TAKEN AT THE TIME OF CONSTRUCTION. ER ITEMS ARE AS PER I.S. SPECIFICATION.				WI	1800X1850										
ING SHALL BE READ IN CONJUNCTION WITH ALL OTHER RELEVANT DRA	3	Wla	. 1700X1850												
2022120248	4	W2	1500X1850	1	D	1500X2150			•						
				W3	T500X1200	2	v.	T260X2150		Linear Subsection of the Control of		en dimensione de la companya della companya de la companya della c			
UP TO: 09-AUG-27				W4	1275X1850	3	D2	1100X2150							
A CIC Digitally signed by	CLUD A	Digitally signed by	1	W5	1200X1200	4	D3	1000X2150			•				
DEBASIS SOM	SHIBA	SHIBA PRASAD JANA	8	W6	1000X1200	5	D4	900X2150							
Date: 2022.08.10 17:02:12 +05'30'	PRASAD JAN	A Date: 2022.08.10	9	W7	1000X1000	6	D5	750X2150							
JRE OF A.E. (C)		SIGNATURE OF E.E. (C)	10	W8	900X1850	7	20	2000X2150							
JAL OF A.L. (C)		Sidillions of Ele. (o)	11	W9	600X900	0	FCD	1200X2150							
AL DESIGN & DRAWING OF BOTH FOUNDATION & SUPERSTRUCTURE OF T PREMISES NO 354, PRANTIK PALLY, KOLKATA, HAVE BEEN MADE BY ME	PROJECT WHIICH HAS BEEN D	D THE STRUCTURAL DRAWING AND DESIGN DE DONE COMPLYING RELEVANT I.S. CODE INCLUDI		INVESTIGATION THEREON.IT IS (THE SITE AND CARRIED OUT SOIL CERTIFIED THAT THE EXISTING SOIL	I	ARCHITECT & E.S.E DURING CONSTR	FULL RESPONSIBILITY THAT, I / WE SHALL ENGAGE LUCTION. I / WE SHALL FOLLOW THE INSTRUCTIONS O	· · · · · · · · · · · · · · · · · · ·	i indiana	PROJECT TITLE :				
ALL THE POSSIBLE LOADS INCLUDING SEISMIC LOAD AS PER THE NATION/ DE OF INDIA & CERTIFIED THAT IT IS SAFE & STABLE IN ALL RESPECT. SO IRT HAS BEEN DONE BY ALOKE ROY OF M/S GEOTEST ENGINEERS PYT. LT ENDATION OF SOIL TEST REPORT HAS BEEN CONSIDERED DURING STRUCTU	DIL I CERTIFY THAT THE STRUCTU TD. LATERAL LOADS AND WILL B	URE WILL BE SAFE & STABLE AGAINST ALL V	ERTICAL AND	CONSTRUCTION AND THE FOUN	CARRY THE LOAD COMING FROM THE PROPOSED D THE FOUNDATION SYSTEM PROPOSED HEREIN IS SAFE RESPECT FROM GEO-TECHNICAL POINT OF VIEW.		AUTHORITY WILL NOT RE RESPONS ADJOINING STRUCTURES. IF ANY SUBMITTED DOCUMENTS ARI REYOKE THE SANCTION PLAN. THE THE CONSTRUCTION OF WATER RES THE GUIDANCE OF E.S.E / ARCHITE	STRUCTION OF THE BUILDING(AS PER B.S PLAN)K.M.G. IBLE FOR STRUCTURAL STABILITY OF THE BUILDING AN E FOUND TO BE FAKE. THE K.M.C AUTHORITY WILL CHARACTER OF LAND IS BASTU. SERVOIR AND SEPTIC TANK WILL BE UNDERTAKEN UND CT. BEFORE STARTING OF BUILDING FOUNDATION WO. N OF THE SITE THE PLOT IS IDENTIFIED BY ME.	D ABUTTING ROAD (15.0 M.) CONFORMS WITH THE PLAN, WHICH HAS BEE MEASURED & YERIFIED BY ME. IT IS A BUILD-ABLE SITE NOT A TANK OR FILLED UP TANK. THE LAND IS DEMARCATED BOUNDARY WALL. THE CONSTRUCTION OF U.G. WATER TANK AND SEPTIC TANK WILL BE COMPLETER BEFORE STARTING OF BUILDING FOUNDATION WORK. THE PLOT IS LOCATE	PROPOSED (B+G- STORIED (22.450 KOLKATA-700042.	M.) ÍNSTITUTIONAL BUILDING , AT WARD - 107, MOUZA- KASBA, JL	RIED (35.80M.) RESIDENTIAL BUILDING AND (B+G+ FUTHONAL BUILDING , AT PREMISES NO. 354, PRANTI 107, MOUZA- KASBA, JL NO13, U/S 393A OF KMC A			
										SHEET TITLE : FRONT ELEVATION					
										ARCHITECT :	M/s. Subir Kuma				
							·				4, Broad Street, Kolk website : www.subirl	xata - 700 019			
AME OF STRUCTURAL ENGINEER.	NAME OF STE	RUCTURAL REVIEWER.		NAME OF GEO - TEC	CHNICAL ENGINEER.		NAN	IE OF OWNER.	NAME OF ARCHITECT.	DRAWN BY : A BISWAS	4, Broad Street, Koll	xata - 700 019	APPROVED E		



