NOC NO 164578

# SPEED POS

# WEST BENGAL POLLUTION CONTROL BOARD

10A, Block -Paribesh Bhawan (-LA, Sector III, Bidhannagar Kolkata - 700 106

Memo No 590-2N-44/2019(E)

Dated 31.08,202

West Bengal Poliution Control Board Member Secretary

<u>.</u> M/s. Southwinds Prejects LLP.
6A. Elgin Read, Floor-2, Bhowanipere, Kolkata - 700 020.

Sub: Consent to Establish (NOC) from Environmental Point of View

Ref 2) Environment
T-II-1/049/2 2019 d.d. 30.07.2021. 03.08.2021 letter No:1306/EN/

of the above subject to the following this is to inform you that this a In response to the application is Consent to Establish (NOC) in proposed to tke I was the residential commercial complex 'South Winds by W/s Southwinds Projects LLP at the information of the sequence of the

The quality of sewage and trade effluent to be discharged from your factory shall satisfy the permissible limits as prescribed in IS:2490 (Pt. I) of 1974, and/or its subsequent amendment and Environment (Protection) Rules 1986.

refer

to Annexure -

rial condition

Is an

- Suitable measures to treat your effluent shall be adopted by you in order to reduce the pollutional load so that the quality of the effluent satisfies the standards mentioned above.
- You shall have to apply to this Board for its consent to operate and discharge of sewage and trade effluent according to the provisions of the water (Prevention & Control of Pollution) Act, 1974. No sewage or trade effluent shall be discharged by you without prior consent of this Board.
- No. emi All emission from your factory shall conform to the standards as laid down by this Board.
- 1981 emission shall be permitted without prior approval of this Board and you shall apply to this Board for its sent to operate and atmospheric emission as per provision of the Air (Prevention & Control Pollution) act,
- No industrial plant, furnace, flues,

Sr. Environmental Engineer
N. B. Pollution Control Board
W. B. Pollution Control Board
Dept. of Environment. GoWB

### NOC NO164578

- You shall comply with
- 3
- 3 Water (Prevention and Control of Pollution) Cess Act, 1977, if applicable. Water (Prevention and Control of Pollution ) Cess Act, 1978, if applicable
- Environment (Protection) Act, 1986
- 3 Environment (Protection) Rules, 1986
- Manufacture, Use, Import and Storage and Hazardous Micro-Organisms, Genetically Engineered Organisms or Cell Rules, 1989 Hazardous Wastes (Management and Handling) Rules, 1989 and Amended Rules, 2000 Manufacture, Storage and Import of Hazardous Chemicals Rules, 1989 and Amended Rules, 2000
- (Viii)
- The Public Liability Insurance Act, 1991 and Amended Act, 1992
- The Public Liability Insurance Rules, 1991 and Amended Rules 1993
- Biomedical Wastes (Management & Handling) Rules, 1998 and Amended Rules 2000 if applicable
- Ozone Depleting Substances (Regulation & Control) Rules, 2000, if applicable Recycled Plastics Manufacture and Usage Rules 1999, if applicable and
- α You will have to abide by any other stipulations as may be prescribed by any authority/local bodies/Government Departments etc.

# SPECIAL CONDITION:

The capital investment on land, excluding the capital investment without depricaltion for the property approximately Rs. 156.07 crores. investment on pollution control devicer the proposed expansion shall be devices

Please refer to Annexure -B

Any violation of the aforesaid conditions shall entail cancellation of this Consent to Establish (NOC)

Yours faithfully,

West Bengal Pollution Control Boat Film Ecology

Dated W. B. Pollution Control Board Dept. of Environment, GoWB

Memo No. 590 - 2N-44/2 Copy forwarded for information to: -2N-44/2019(E) dd. 31.08.2024

Ghief Inspector of Factories, Government of West Bengal, N. S. Building, Kolkata-700 001

Ŋ

Building. Kolkata-700 001 Director of Industries/Director of Cottage & Small Scale/Industries, Government of West Bengal, N. S.

Guard file, West Bengal Pollution Control Board.

Himalaya Bhawan Delhi Road, Dankuni Environmental Engineer, I/II/Alipur B.O./Howrah Asansol/ Sub-R.O./WBPC Board P.O./Hooghly R.O./B.R.O./D.R.O./Haldia R.O./S.R.O./

Vill, Panpur Kalyani Expressyr P.O. Narayanpur Dist. 24 Pgs. (N) Sahid Khudiram Sarani City Centre, Durgapur-16 Dist. Burdwan

> 2nd Floor Kolkata-700 017

10, Camac Street

Dist. Hooghly

Kolkata - 700 098 Salt Lake City, Paribesh Bhawan 10A, LA-Block, Sector-III

Block-05 at/40 Flats Complex P.O.: Khanjanchak, P.S. Durgachak Haldia-721602 Housing Estate Dist.: Purba Medinipur Adjaceny to Priyambada Paribahan Nagar Matigara, Siliguri Dist.-Darjeeling

Malda-732101 Balurchar Bandh Road Indoor Stadium Satya Chowdhury

Asansol Sub-Regional Office ADDA Commercial Market (2nd Floor) Opposite Asansol Fire Station G.T. Road, Asansol-713 301

Member Secretary SR. ENV. ENGR.
West Bengal Pollution Control BCELL)

Sr. Environmental Engineer W. B. Pollution Control Board Dept. of Environment, GoWB

483, 485 to 490, 493, 496, 498 to 507, 510 to 520, 522 to 526, 528, 530, 535, 536, 539 to 542, 545, 546, 573, 574, 492, 567, 568, 572, 587, 589, 590 to 593, 595, 596, 597, 599, PS — Sonarpur, Dist — South 24 Parganas, West Bengal. Winds' by M/s. Southwinds Projects LLP at Holding No. 132, Ghoshal Para Road, Ward No. 23 of Rajpur Sonarpur Municipality, Mouza – Manikpur, JL No. 77, L R Dag No. 304, 305, 477, 478, 481 to Special Conditions issued for the proposed expansion of residential cum commercial complex 'South

1. The building profile of the project after expansion shall be :

Residential Block – 1 – (B+G+XI - Part I & II),

Block – 3 – (G+XI),

Block – 4 – (B+G+XI - Part I & II),

Block – 5 – (G+XV - Part I, II & III),

Block – 6 – (G+XV),

Block – 7 - (G+XV),

Commercial Block 1 no.– G+II,

Block 8, 9, 10A, 10B - G+18,

Block 11 - G+13,

Block 12 - G+11 &

2. Total number of flats after expansion shall be – 1951 nos.

MLCP block - G+7.

3. Total built-up area of the project after expansion shall be 239353.08 sqm.

Sr. Environmental Engineer (EIM Cell)/Member Secretary
West Bengal Pollution Control Board
Sr. Environmental Engineer
W. B. Pollution Control Board
Dent. of Environment, GoWB

Winds' by M/s. Southwinds Projects LLP at Holding No. 132, Ghoshal Para Road, Ward No. 23 of Rajpur Sonarpur Municipality, Mouza – Manikpur, JL No. 77, L R Dag No. 304, 305, 477, 478, 481 to 483, 485 to 490, 493, 496, 498 to 507, 510 to 520, 522 to 526, 528, 530, 535, 536, 539 to 542, 545, 546, 573, 574, 492, 567, 568, 572, 587, 589, 590 to 593, 595, 596, 597, 599, PS – Sonarpur, Dist – Special Conditions issued for the proposed expansion of residential cum commercial complex 'South South 24 Parganas, West Bengal

#### A. Emission:-

- DG Set 1x380 KVA + 2x320 KVA + 2x500 KVA
- Stacks of adequate height to be provided with acoustic enclosures and residential silencer.
- Stacks to have sampling port, platform and ladder as per the Emission Regulation Part III of CPCB.
- ≣ Emission standards, Fuel specification and Stack height should comply with the prescribed limits under the notification of Ministry of Environment & Forest, Govt. of India, G.S.R. 489(E) [09.07.2002] and subsequent amendments.
- φ. Effluent: Domestic - waste water shall be treated in adequately designed Sewage Treatment Plant (STP). Treated waste water shall be recycled. Excess water shall be discharged to municipal drain. STP should be monitored on a regular basis for compliance with the norms and records should be maintained properly.

#### C. Solid Waste:

& disposal of bio-degradable fraction of MSW. Management Rules, 2016. The project proponent shall install on-site compost plant for treatment Municipal solid waste- to be collected and disposed off regularly as per the Solid Waste

Construction and Demolition Waste - The proponent should abide by the Construction and Demolition Waste Management Rules, 2016. Guidelines on Environmental Management of Construction & Demolition Waste published by CPCB in March, 2017 should be followed

(Management and Transboundary Movement) Rules, 2016 Hazardous Wastes The proponent should abide by the Hazardous and Other Wastes

#### D. General:

- Ë must practice rainwater harvesting on regular basis. Appropriate arrangement is to be done for rainwater harvesting within the site. The proponent
- 2 per the West Bengal Ground Water Resources (Management, Control and Regulation) Act, 2005. Ground water should not be abstracted without the permission of the Competent Authority as
- ω fugitive emission from such operation. Provision of screen wall should be made surrounding the batching plant, if installed for control of
- Fly Ash is to be used for construction as per Notification No. S.O. 763(E) dated 14.09.1999 amended vide Notification No. S.O. 979(E) dated 27.8.2003, S.O. 2804(E) dated 03.11.2009 and S.O.254(E) dated 25.01.2016 of the Ministry of Environment & Forests, Govt. of India.
- 'n The proponent should strictly abide by The West Bengal Trees (Protection and Conservation in Cutting Authority constituted as per the West Bengal Trees (Protection and Conservation in Non-Non-Forest Areas) Rules, 2007. No trees can be felled without prior permission from the Tree

St. Empirion Control Board W. B. Pollution Control GoWB

Page **1** of **2** 

South 24 Parganas, West Bengal. 546, 573, 574, 492, 567, 568, 572, 587, 589, 590 to 593, 595, 596, 597, 599, PS – Sonarpur, Dist – 483, 485 to 490, 493, 496, 498 to 507, 510 to 520, 522 to 526, 528, 530, 535, 536, 539 to 542, 545, Rajpur Sonarpur Municipality, Mouza – Manikpur, JL No. 77, L R Dag No. 304, 305, 477, 478, 481 to Winds' by M/s. Southwinds Projects LLP at Holding No. 132, Ghoshal Para Road, Ward No. 23 of Special Conditions issued for the proposed expansion of residential cum commercial complex 'South

project site. Water intensive and/or invasive species should not be used for landscaping. Forest Areas) Act, 2006 and subsequent rules. Adequate green belt is to be developed within the

- 6 Proper steps are to be taken so that the flora and fauna are not affected during the construction
- 7. Adequate firefighting storage should be provided as per Rules.
- 8. Adequate parking space should be provided within the project site as per Rules.
- 9. Road design should be done with due consideration for environment and safety of users. The entry and exit points should be designed properly without disturbing the existing traffic.
- 10. Use of energy efficient construction materials should be ensured. Water efficient devices / fixtures should be installed. Energy efficient systems should be installed.
- 11. be disposed off by arrangement with the local body. be provided. Vats / bins should be provided inside the project area from where the wastes are to Adequate provision shall be made for storage of solid waste and adequate means of access shall
- 12 energy conservation and to ensure environmental protection. The proponent shall undertake awareness programmes for the residents to promote water and
- 13. No expansion of the project should be undertaken without prior permission of the State Board.
- 14. The unit should not start operation without obtaining 'Consent to Operate' from this Board.
- 15. The proponent should maintain a display board at the site, providing detailed information on the salient features of the proposed project
- 16 The proponent should abide by the Direction issued by the Department of Environment, Government of West Bengal, vide No. EN/3170/T-IV-7/001/2009 dated 10.12.2009 (Annexure II).
- 17. accorded by the State Environment Impact Assessment Authority (SEIAA), West Bengal, vide No. 1306/EN/T-II-1/049/2019 dated 30.07.2021. The proponent should strictly abide by the conditions stipulated in the Environmental Clearance
- 18 Existing water bodies (if any) should not be lined and their embankments should not be ecological habitat. cemented. The water bodies are to be kept in natural conditions without disturbing the
- 19 Statutory licenses/permission, as applicable, should be obtained from the Competent Authority.
- 20. This NOC is valid upto 31.08.2028 for construction of the project

Sr. Environmental Engineer (EIM Cell)/Member Secretary
West Bengal Pollution Control Board

- James

May / von !

Sr. Environmental Engineer
W. B. Pollution Control Board
Dept. of Environment, GoWB Page 2 of 2



Department of Environment Government of West Bengal Writers' Buildings, "G" Block, (2nd. Floor), Kolkata-700 001.

No. EN/3170/T-IV-7/001/2009

Dated: December 10th, 2009.

# DIRECTION

plant, micro-organism, property or the environment; activities which are causing scrious impact on human beings, other living creatures, free environment and also responsible for restraining different environment hazardous territorial jurisdiction of West Bengal and also responsible for maintaining pollution entrusted to look after the execution of the different environmental laws within the WHEREAS, Department of Environment, Govt. of West Bengal is

different steps for controlling air pollution in the atmosphere generated from the different sources i.e. industrial, source, vehicular source and burning of bio-mass; AND WHEREAS, Department of Environment has already taken

has already declared entire West Bengal as `Air Pollution Control Area'; conferred under section 19 of the Air (Prevention & Control of Pollution) Act, 1981, AND WHEREAS, Department of Environment in exercising the power

study with the help of the Asian Development Bank and it is revealed that the Kolkata and its surroundings; contribution of the construction activities is one of the source of air pollution in AND WHEREAS, West Bengal Pollution Control Board conducted a

mix plant as a fuel during construction and repairs of road for melting coal tar contributes significant obnoxious element into the air which cause a serious problem of the human beings; AND WHEREAS, it is further revealed that burning of old tyres in hot

following norms which need to be strictly followed by the developers, contractors or any other infrastructure developers; municipalities, local authorities and all other concerned Govt. Departments within the State of West Bengal, are now directed to take immediate steps to implement the & Control of Pollution) Act, 1981 and Environment (Protection) Act, 1986 Pollution Control Board and in exercise of the power conferred under Air (Prevention HENCE, in view of the above and in consultation with the West Bengal

- Preventive measures need to be taken: -
- Wrap construction area/buildings with geotextile fabric, location, installing dust barriers, or other actions, as appropriate for the
- b) Apply water and maintain soils in a visible damp or crusted condition for temporary stabilization,
- c) Apply water prior to levelling or any other earth moving activity to keep the soil moist throughout the process;
- <u>d</u> Limit vehicle speeds to 15 mph on the work site.
- <u>e</u> leaving construction site. Clean wheels and undercarriage of haul trucks prior to
- Ð
- 8 palliative to all outer surfaces of the stockpiles; at Apply and maintain dust suppressant on haul routes.

  Apply a cover or screen to stockpiles and stabilize stockpiles completion of activity by water and maintain a dust
- h) equipment and vehicles will operate;
  Stabilize adjacent disturbed soils following paving activities Stabilize surface soils where loaders, support equipment and soils vehicles will operate by using water and maintain surface Ħ. a stabilized condition where loaders, support
- ī, with immediate vegetative or rock cover. landscaping activity Òr installation of
- () Maintain dust control during working hours and clean track out from paved surfaces at the end of the work shift/day. Track out must now extend 50 feet or more and must be cleaned daily, at the minimum.
- k) Stabilize sloping surfaces using soil binders until vegetation or ground cover can effectively stabilize the slope,
- Disposal of debris in consultation with the local authorities following proper environmental management practice.
- m) During construction work, including cutting of marbles. ambient noise level should not exceed more than 65 dB(A).

# Practices to be discarded: -

- a) Don't dispose of debris indiscriminately,
- b) Don't allow the vehicles to run at high speed within the work
- c) Don't cut materials without proper dust control/noise control site.
- d) Don't keep materials without effective cover. facility.
- e) Don't allow access in the work area except workers to limit soil disturbance and prevent access by fencing, ditches, vegetation, berms or other suitable barrier.
- 5 Don't leave the soil, sand and cement stack uncovered.
- Don't keep materials or debris on the roads or pavements. Burning of old tyres in hot mix plant as a fuel during
- construction and repair of the roads for melting coal tar should be discarded;

infrastructure developers either Govt. or Private failed to comply with the aforementioned statutory norms, Department of Environment and West Bengal Pollution Control Board will take necessary action under Air (Prevention & Control of pollution) Act, 1981 and Environment (Protection) Act, 1986 which may lead to stoppage and prohibition of the work including closure and other legal action as warranted under the law including imposition of the `Pollution Cost'. NOW THEREFORE, it is made clear that any developers, contractors or

the Municipal Laws and Panchayat Law. Panchayats should also be at liberty to take necessary action against the violators under It is further directed that all Municipal Corporations, Municipalities and

Municipalities and Panchayats are responsible to implement the aforementioned environmental hazards of their respective jurisdiction. meticulously But it is made clear that Local Authorities i.e. Municipal Corporations, for the purpose of curbing air pollution and other

Local Police Station is also directed to render all necessary help to the Local Authorities to implement the aforementioned direction in a befitting manner.

This order will take effect from 01-01-2010 through out the State of West

By Order,
Sd/(M. L. Meena)

Principal Secretary to the Govt. of West Bengal.
Department of Environment.