


PROPOSAL = G+IV STORIED RESIDENTIAL CUM COMMERCIAL BUILDING.
PROPOSED HEIGHT- 15.5 Mtr. MEASURED FROM THE CENTER LINE OF ROAD.
NATURE OF LAND- BASTU COMMERCIAL.



CERTIFICATE OF OWNER	
WE UNDERTAKE TO REPORT THAT THERE IS NO COURT CASE OR ANY COMPLAINT FROM ANY CORNER IN RESPECT OF OUR PROPERTY AS PER PLAN ASANSOL MUNICIPAL CORPORATION WILL NOT BE LIABLE FOR ANY TYPE OF DISPUTE IF ARISES IN FUTURE	

WE UNDERTAKE TO REPORT THAT THERE IS NO COURT CASE OR ANY COMPLAINT FROM ANY CORNER IN RESPECT OF OUR PROPERTY AS PER PLAN ASANSOL MINICIPAL CORPORATION WILL NOT BE LIABLE FOR ANY TYPE OF DISPUTE IF ARISES IN FUTURE

DATE -	SIG. OF OWNER
CERTIFICATE OF ENGINEER/ L.B.S :-	
CERTIFIED THAT THE SITE HAS BEEN INSPECTED PERSONALLY BY ME/US AND THE PLAN HAS BEEN DRAWN UP STRICTLY ACCORDING TO THE RULES OF ASSAMOL MUNICIPAL CORPORATION CERTIFIED THAT THE FOUNDATION AND SUPERSTRUCTURE OF THE BUILDING HAS BEEN DESIGNED BY ME/US TO BE SAFE IN ALL RESPECT INCLUDING THE CONSIDERATION OF BEARING CAPACITY OF SOIL AND SETTLEMENT ETC. AS PER I.S.809 CODE. HOWEVER THE STRUCTURAL CALCULATION SHEET AND SOIL REPORT IS SUBMITTED FOR REFERENCE AND RECORD.	
SIG. OF L.B.S	SIG. OF ENGINEER
DATE:-	DATE:-

NOTES:-

1. ALL DIMENSIONS ARE IN MM UNLESS OTHERWISE STATED.
2. ALL EXTERNAL WALLS ARE 200 MM TH. & ALL INTERNAL WALLS ARE 125/75 MM TH.
3. MIX OF CONCRETE OF ALL R.C.C MEMBERS SHALL BE OF M-20 GRADE.
4. ALL REINFORCEMENT SHALL BE OF FE 415 OR FE 500 CONFORMING TO IS CODE.
5. CLEAR COVER FOR FOUNDATION- (40mm) b COLUMN-25mm, c) BEAM-25mm, d) SLAB-15mm.
6. THE DEPTH OF SEAK UNDERGROUND WATER RESERVOIR SHOULD NOT EXCEED THE DEPTH OF NEIGHBOURING COL. FOUND.
7. NET BEARING CAPACITY OF SOIL IS CONSIDERED AS PER SOILTEST REPORT.
8. FIGURED DIMENSIONS SHOULD BE FOLLOWED.
9. FOR SPECIFICATIONS OF MATERIALS & WORKMANSHIP FOLLOW N.B.C-1984.
10. POWER LINE (440V) OF W.B.S.D. F.C.D.I. IS AVAILABLE.
11. WATER FROM OWN 1800 DIA. WELL AND DEEP TUBEWELL.
12. SURFACE DRAIN TO BE CONNIE-CTED TO A.M.C DRAIN.

T.K.DAS & ASSOCIATES A-17, PULIN AVENUE, KOLKATA-700081 PHONE NO-93310-81025		SITE PLAN SHEET NO.-1	
DRAWN BY:-	DATE	SCALE	CAD FILE NAME:-

