PARTY'S COPY

Plan for Water Supply arrangement including SEWLI O. & O. P. reservoirs should be submitted at the Office of the Ex-Engineer Water Supply and the sanction obtained before proceeding with the work of Water Supply any deviation may lead to disconnection notice.

No soil water pipe should be fixed externally on Road or Footpath. Drainage plan should be submitted at the Borough Executive Engineer's Office and the sanction obtained before proceeding with the drainage work.

A suitable pump has to be provided i.e. pumping sanitized water for the distribution to the flushing cisterns and urinals in the building (except sanitized water from street main is not available.

DEVIATION NOT'D MEAN DEMOLITION

Approved by The Building Committee

THE SANCTION IS VALID UP TO 31/12/2013

KOLKATA MUNICIPAL CORPORATION BUILDING DEPTT. PLANS APPROVED UR 38 (2a) & (2b) of K.M.C. BUILDING RULES 2009 By Dy.Engg. / Asstt.Engg. / Asstt. Engineer Bl. No. ...

KOLKATA MUNICIPAL CORPORATION BUILDING PERMIT Date ... Bldg. No. ... Bl. No. ... Dy. Engg. / Asstt. Engg. / Asstt. Engineer Bldg. Dept. K.M.C.

Approved subject to Compliance of condition of West Bengal Fire Services Rules.

Before starting any Construction the site must conform with the plans sanctioned and all Preconditions as proposed in the plan should be fulfilled.

Note in the within plan sanction to carry out work is subject to the above conditions.

Design of all Structural Members including that of the foundation should conform to Standards specified in the national Building Code of India.

All Building Materials to necessary & construction should conform to standard specified in the National Building Code of India.

Non Commencement of Sanctioned Re-Erection within Two Year will Require Fresh Application for Sanction.

Necessary steps should be taken for the safety of the lives of the adjoining public and private properties during construction.

The sanction refers to the proposed portion shown in red on the Executive Engineer cannot be responsible as to the correctness of the plan.

This Plan is to be Treated As Part and Parcel but Completes to K.C. Plan on ... Dated ...

APPROVED ASSISTANT ENGINEER (C) SERIAL NO. ...

RESIDENTIAL BUILDING

OFFICE OF THE EXECUTIVE ENGINEER BUILDING DEPARTMENT DATE 9/02/16 THE KOLKATA MUNICIPAL CORPORATION

The building materials that will be attached as Roof/Passage or Footpath at the time of the other construction at G. Floor which cannot be earlier may be seized forthwith by the K.M.C. at the cost and risk of the owner.

Provision of use of solar energy in the form of solar heater and / or solar photovoltaic shall be provided as required under Rule 147 of Building rules, 2009 and completion certificate will not be issued in case of building without having such provision.

CONSTRUCTION SITE SHALL BE MAINTAINED TO PREVENT MOSQUITO BREEDING AS REQUIRED UNDER RULE 147 OF KMC ACT 1980 IN SUCH MANNER SO THAT ALL LATRINE CONNECTION & PARTICULARLY LIFT WELL OR SUBTERRANEAN CURVED SPACE UNDER MECHANICAL LIFT, MUST BE EMPTIED COMPLETELY TWICE A WEEK.