

PARTY'S COPY

Plan for Water Supply arrangement including SELL, G. & O. of the Engineer Water Supply and the sanction obtained before proceeding with the work of Water Supply any deviation may lead to a stoppage of work.

No rain water pipe should be fixed in discharge on Road or Footpath. The Borough Engineer's Office and the sanction obtained before proceeding with the drainage work.

A water pump has to be provided for pumping untreated water for the sanitation building incase untreated water from street main is not available.

REVISION WOULD MEAN DEMOLITION.
THE SANCTION IS VALID
UP TO 20/04/2022



Sanctioned subject to demolition
of the building
by the
Borough Engineer
No. 10/2022

Approved subject to Compliance
of the Building Rules, 2009
Services, if any.

Protected for use of solar energy in the form of solar
heater and/or solar products shall be provided as
condition certificate in the sanction in case of
building without having such provision.

OFFICE OF THE EXECUTIVE ENGINEER
BANGALORE
20/04/2022
THE REGIONAL MUNICIPAL CORPORATION

RESIDENTIAL BUILDING

The building materials that will be
based on the passage of 150-180
of 10 Floor, which is higher than
the ground level by the K.M.C. in the
area of the building.


CONSTRUCTION SITE SHALL BE MAINTAINED
NEARBY MOSQUITO BREEDING AS REQUIRED
SO THAT ALL WATER COLLECTIONS ARE
LEFT WELLS, WATS, BUSHES, COWS, OPEN
DRAINAGE, ETC. MUST BE MAINTAINED COMPLETELY
TWICE A WEEK.

Under the Floor Plan
Block A, Floor Plan







4TH FLOOR PLAN OF BLOCK - A
SCALE - 1:100




SECTION - XX
SCALE - 1:100




SECTION - ZZ
SCALE - 1:100



2ND & 3RD FLOOR PLAN OF BLOCK - A
SCALE - 1:100



SECTION - YY
SCALE - 1:100



1ST FLOOR PLAN OF BLOCK - A
SCALE - 1:100

WINDOWS	WIDTH	HEIGHT	DESCRIPTION
W1	1500	1500	
W2	1200	1500	
W3	1000	1000	
W4	600	800	
W5			

DOORS	WIDTH	HEIGHT	DESCRIPTION
D1	1200	2100	
D2	900	2100	
D3	750	2100	
D4	2000	2100	
D5	1200	2100	

- NOTES -
1. ALL DIMENSIONS ARE IN MM. UNLESS OTHERWISE MENTIONED.
 2. ALL EXTERNAL WALLS ARE 200 THK & INTERNAL WALLS ARE 125 THK. UNLESS OTHERWISE STATED.
 3. ALL CHAJJAS ARE 75 THK & 500 MM. PROJECTED.
 4. DEPTH OF UNDERGROUND WATER RESERVOIR SHOULD NOT EXCEED THE DEPTH OF FOUNDATION.
 5. GRADE OF CONCRETE & GRADE OF STEEL USED ARE M20 & Fe 415 RESPECTIVELY. RCC FRAMED STRUCTURE.
 7. ANY DISCREPANCY IN SCALE, THE WRITTEN DIMENSION SHALL GOVERN.
 8. FOR SPECIFICATION OF MATERIALS & WORKMANSHIP N.B.C 1984 TO BE FOLLOWED.
 9. OPEN TERRACE WITH LIME TERRACING OF RATIO 2:2:7
 10. DAMP PROOF COURSE TO BE PROVIDED WITH P.C.C (1:2:4)

SAVERA ASSOCIATES PVT. LTD.
Saveri Saveri
Authorized Signatory
SIGNATURE OF OWNER

THIS IS TO CERTIFY THAT THE STRUCTURAL DESIGN & DRAWINGS OF BOTH FOUNDATION AND SUPER-STRUCTURE OF THE BUILDING HAS BEEN MADE BY ME. CONSIDERING ALL POSSIBLE LOADS INCLUDING THE SEISMIC LOAD AS PER NATIONAL BUILDING CODE ALL RESPECTS OF INDIA AND CERTIFIED THAT IT IS SAFE AND STABLE WITH ALL RESPECT.

K. Sengupta
KOUSHIK SENGUPTA
B.E. (CIVIL), M.E. (STRUCTURE)
E.S.E.-1/76 (R.M.C.)
SIGNATURE OF ENGINEER

I DO HEREBY CERTIFY WITH FULL RESPONSIBILITY THAT THE BUILDING PLAN HAS BEEN DRAWN UP AS PER PROVISION OF M.C. BUILDING RULES 2009 AS AMENDED TIME TO TIME THAT THE WIDTH OF THE ADJUTING ROADS CONFORM WITH THE BUILDING PLAN AND IT IS A BUILDABLE SITE NOT A TANK OR A FILLED UP TANK. THE SITE IS DEMARCATED BY BOUNDARY WALLS AND MEASUREMENT AGREED WITH THE DEED PLAN IT IS FULLY OCCUPIED BY THE OWNER.

Kamal Kumar Permal
KAMAL KUMAR PERMAL
CIVIL-05-18079
SIGNATURE OF ARCHITECT

PROJECT:
PROPOSED PLAN OF G+V (BLOCK-A) & G+VII (BLOCK-B) STORIED RESIDENTIAL BUILDING AT PREMISES NO.68, MATHESWARTOLA ROAD, WARD NO-58, BOROUGH-VII, P.S. TILAJALA, KOLKATA-000046 UNDER KMC.

MAHESHWARI & ASSOCIATES
37A BAKER ROAD, 2ND FLOOR, ALIPUR,
KOLKATA - 700027.
Tel: 65334566, 65228584.

TITLE:	1ST TO 4TH FLOOR PLAN, SECTION - XX & SECTION - YY
SUBMISSION:	DRAWING
NORTH:	DRG NO. MAJ/SOUTH TANGRA/SUB/02
REV. DATE:	REV. NO. 0
SCALE:	1:100
DATE:	20.09.2014
DEALT:	RAHUL
CHECKED:	K.P.